

Per Cigarette Market Samole Brand Data & Statistics

М	ar	lboro	100's
ŧ	ሰብ	FT1 175	

filte	r hard pack						•
	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
10.	19- 7	9.44	19.30	2.00	1.15	16.15	16.38
2)	32- 4	10.30	19.70	2.03	1.16	16.51	15.36
3)	47- 12	10.22	19.14	1.91	1.13	16.10	15.07
4)	70- 18	10.52	20.64	2.29	1.20	17.15	17.85
5)	73- 6	10.34	18.84	1.93	1.10	15.81	
6)	80- 2	9.94	20.06	2.21	1.18	16.67	
7)	141- 20	9.70	19.50	2.27	1.12	16.11	16.54
8)	142 16	10.68	22.84	3.121.	1.26 ⁷ .	18.46 ²	19.24
9)	160- 6	10.48	19.88	2.31	1.11	16.46	16.61
10)	163- 2	10.24	20.32	2.23	1.14	16.95	17.06
11)	190- 6	10.40	19.88	2.36	1.15	16.37	15.77
12)	207- 3	9.76	20.18	2.50	1.18	16.50	17.29
13)	220- 13	9.82	19.56	2.18	1.11	16.27	15.72
14)	245- 19	10.48	20.62	2.41	1.19	17.02	17.31
15)	263- 18	10.28	19.40	2.02	1.17	16.21	16.11
16)	276- 6	10.10	20.10	2.19	1.13	16.78	16.91
17)	305- 2	10.54	20.42	2.28	1.20	16.94	16.57
18)	316- 8	10.24	19.22	2.09	1,13	16.00	15.46
19)	345- 10	10.02	20.22	2.32	1.18	16.72	17.05
20)	356- 16	10.40	20.64	2.44	1.22	16.98	16.99

Statistics Array:

Puff-Count=Puffs/Cig
NPM, Water, Nicotine, TAR & CO=Mg per Cig

		,				
Mean	10.19500	20.02300	2.25450	1.16050	16.60800	16.54500
CONFI. INTER.	.14509	.38027	.11797	.01849	. 25955	.47421
Stand, Dev.	. 32443	.85032	.26379	.04136	.58037	1.06037
%C.V.	3.18229	4.24671	11.70049	3.56358	3.49451	6.40898
and the second control of the second control	Action to the control of the control					

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C0
x	10.2 ±0.1	20.0 ±0.4	2.3 ±0.1	1.16 ±0.02	16.6 ±0.3	16.5 ±0.5
Ş	0.3	0.9	0.3	0.04	0.6	1.1
cv	3.2	4.2	11.7	3.6	3.5	6.4



Per Cigarette

Market Sample Brand Data & Statistics

Virginia Slims Ultra Lights

100 mm

filte	r menthol	hard pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	17- 3	8.44	6.98	. 54	.52	5.92	7.00
2)	18- 18	8.52	7.12	. 57	.52	6.03	7.29
3)	51- 17	8.70	7.68	. 63	.51	6.54	7.16
4)	64- 2	8.20	7.36	. 66	.51	6.19	6.95
5)	99- 2	8.48	7.42	.57	.50	6.35	7.47
6)	100- 2	8.12	7.26	.60	. 48	6.18	7.69
7)	110- 4	8.66	7.80	.61	.59	6.60	7.80
8)	127- 12	8.64	7.32	. 60	.51	6.21	6.93
9)	172- 14	8.52	7.16	. 53	.50	6.13	7.90
10)	173- 20	8.48	7.22	.61	.48	6.13	6.79
11)	207- 10	8.44	7.26	.60	.51	6.15	7.14
12)	212- 8	8.80	7.30	.58	.52	6.20	7.03
13)	231- 20	8.48	7.54	. 61	55	6.38	7.24
14)	232- 16	8.32	7.14	. 58	. 55	6.01	7.05
15)	269- 13	8.52	7.06	. 55	. 52	5.99	6.62
16)	276- 9	8.66	8.36	. 69	. 62	7.05	7.98
17)	297- 15	8.78	7.12	.55	. 51	6.06	6.92
18)	308- Z	8.78	7.28	. 56	.51	6.21	8.00
19)	326- 1	8.86	7.36	.60	. 52	6.24	7.26
20)	327- 7	8.38	7.66	. 64	.52	6.50	7.70

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.53900	7.37000	.59400	.52250	6.25350	7.29600
CONFI. INTER.	. 08871	.14176	.01820	.01493	.11731	. 18653
Stand. Dev.	.19836	. 31699	.04070	.03338	.26232	.41709
%C.V.	2.32298	4.30112	6.85258	6.38923	4.19482	5.71666
the death at at the death at the death at the death at the death at	and and a single single single single single single single single	ن وال وار والدوال والرواد والدواد والروا	and the site of the site of the	to the the standards who also also also	La che	to do do sto do do do do do sto sir

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	8.5 ±0.1	7.4 ±0.1	0.6 ±0.02	0.52 ±0.01	6.3 ±0.1	7.3 ±0.2
s	0.2	0.3	0.04	0.03	0.3	0.4
cv	2.3	4.3	6.9	6.4	4.2	5.7

\$ 24

Per Cigarette Market Sample Brand Data & Statistics

Marlboro 100's 100 mm

filte	r soft pack						•
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
		10.01	48.66	~ ~ .		4.6	4 45-554
1)	25- 7	10.94	19.86	2.21	1.12	16.53	15.23
2)	26- 2	10.72	20.00	2.28	1.19	16.53	16.14
3)	59- 10	10.68	21.10	2.44	1.21	17.45	16.42
4)	70- 7	11.06	19.94	2.24	1.15	16.55	16.77
5)	77- 13	10.46	19.90	2.06	1.16	16.68	16.37
6)	80- 20	10.74	21.68	2.48	1.21	17.99	18.18
7)	109- 13	10.30	20.08	2.10	1.17	16.81	16.77
8)	118- 10	10.34	20.48	2.26	1.14	17.08	17.24
9)	165- 9	10.66	21.10	2.48	1.18	17.44	17.88
10)	172- 20	10.26	20.22	2.39	1.10	16.73	17.12
117	202- 20	11.04	23.10 ¹ ,	3.05	1.31	18.74	19.29
12)	213- 20	10.54	19.261	2.16	1.13	15.97	16.06
13)	221- 5	10.02	20.78 `	2.64	1.12	17.02	14.36
14)	535- 50	10.74	21.18	2.50	1.20	17.48	17.50
15)	254- 2	10.48	19.42	2.01	1.14	16.27	16.50
16)	287- 17	10.36	20.10	2.30	. 1.15	16.65	15.67
17)	300- 12	10.52	19.70	2.27	1.14	16.29	16.25
18)	319 18	10.18	19.90	2.10	1.15	16.65	16.33
19)	351- 14	10.76	20.02	2.12	1.18	16.72	16.09
20)	352- 8	10.72	19.68	2.10	1.18	16.40	16.15

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig 20.37500 Mean 10.57600 2.30950 1.16650 16.89901 16.61600 CONFI. INTER. .12568 .40335 .10940 .02043 .29153 .48045 .28102 .90192 .04568 Stand. Dev. .24464 .65188 1.07433 %G.V. 2.65716 4,42662 10.59263 3.91640 3.85750 6.46563

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	10.6 ±0.1	20.4 ±0.4	2.3 ±0.1	1.17 ±0.02	16.9 ±0.3	16.6 ±0.5
s	0.3	0.9	0.2	0.05	0.7	1.1
CV	2.7	4.4	10.6	3.9	3.9	6.5

¥ 33

Per Cigarette Market Sample Brand Data & Statistics

100 mm

100 111	r Ki						
filte	r hard pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
							•
1)	5- 6	10.42	19.92	2.18	1.14	16.60	16.06
2)	14- 2	10.30	20.06	2.15	1.20	16.71	16.79
3)	65- 1	10.52	20.92	2.55	1.19	17.18	17.36
4)	66-10	10.22	19.80	2.00	1.16	16.64	17.24
5)	e3- 18	10.52	20.20	2.03	1.20	16.97	17.26
6)	92- 14	10.38	20.04	2.27	1.19	16.58	17.08
7)	111- 18	9.98	19.76	2.14	1.16	16.46	16.26
8)	122- 19	10.26	19.22	2.18	1.10	15.94	15.73
9)	155- 8	10.72	20.80	2.54	1.23	17.03	16.82
10)	156- 17	10.48	21.20	2.65	1.20	17.35	17.14
11)	184- 5	10.44	21.78	2.58	1.26	17.94	17.75
12)	201- 16	9.92	19.90	2.12	1.20	16.58	16.19
13)	231- 16	9 .96	20.12	2.09	1.19	16.84	16.81
14)	236- 10	10.58	20.52	2.39	1.22	16.91	18.64
15)	257- 2	10.84	20.50	2.18	1.20	17.12	16.41
16)	274- 18	11.00	20.30	2.23	1.22	16.85	17.28
17)	297- 12	10.10	19.84	2.17	1.17	16.50	16.82
18)	324- 1	10.18	19.18	1.94	1.16	16.08	16.94
19)	347- 14	10.48	20.36	2.42	1.16	16.78	17.95
20)	354- 13	9.70	19.82	2.09	1.18	16.55	18.13

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.35000	20.21200	2.24500	1.18650	16.78050	17.03300
CONFI. INTER	.14412	.28001	.09234	.01565	. 19564	. 32389
Stand. Dev.	.32226	.62611	.20649	.03498	. 43747	.72424
%C.V.	3.11364	3.09772	9.19763	2,94858	2.60704	4.25195

	Puff-Count	TPM	Water	Nicotine	Tar	Co
х	10.4 ±0.1	20.2 ±0.3	2.2 ±0.1	1.19 ±0.02	16.8 ±0.2	17.0 ±0.3
s	0.3	0.6	0.2	0.03	0.4	0.7
cv	3.1	3.1	9.E	2.9	2.6	4.3



Per Cigarette Market Sample Brand Data & Statistics

Marlbor	0 100) Red
100 mm		
filter	soft	pack

Tlite	r soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	12- 10	10.26	19.38	1.99	1.12	16.27	16.11
2)	31- 15	10.12	19.36	1.92	1.15	16.29	15.02
3)	38- 4	10.12	19.58	2.13	1.18	16.27	15.78
4)	39- 4	10.22	20.14	2.22	1.20	16.72	15.60
5)	89- 4	10.18	19.28	2.08	1.15	16.05	15.86
6)	94- 11	10.16	19.00	2.02	1.12	15.86	15.91
7)	110-9	10.50	21.62	2.86	1.21	17.55	17.55
8)	139 17	10.30	20.54	2.47	1.15	16.92	15.83
9)	150- 5	10.58	22.38	3.03	1.25	18.10	16.76
10)	155- 6	10.88	21.28	2.61	1.26	17.41	16.08
11)	188- 17	10.22	20.28	2.25	1.17	16.86	17.04
12)	209- 3	10.26	19.70	2.17	1.16	16.37	15.55
13)	222-14	10.64	21.04	2.73	1.23	17.08	15.48
14)	225- 20	10.48	19.86	2.18	1.19	16.49	15.49
15)	260- 11	10.70	21.20	2.37	1,22	17.61	16.93
16)	263- 11	10.46	20.02	2.13	1.21	16.68	16.17
17)	291- 1	10.20	20.04	2.35	1.14	16.55	16.39
18)	308-8	10.32	18.70	1.82	1.15	15.73	15.16
19)	333- 1	10.96	19.56	2.03	1.16	16.37	16.25
20)	352- 13	10.22	19.06	1.97	1.16	15.93	15.42

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.38900	20.10100	2.26650	1.17900	16.65550	16.01900
CONFI. INTER.	.11226	. 43531	.14578	.01817	.28430	.29347
Stand. Dev.	.25102	.97338	. 32597	.04064	.63571	.65622
%C.V.	2.41618	4.84245	14.38202	3.44696	3.81684	4.09649

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	10.4 ±0.1	20.1 ±0.4	2.3 ±0.1	1.18 ±0.02	16.7 ±0.3	16.0 ±0.3
5	0.3	1.0	0.3	0.04	0.6	0.7
cv	2.4	4.8	14.4	3.4	3.8	4.1

₹ 2\$ Page: 124

28

Per Cigarette

Market Sample Brand Data & Statistics

king size

filter menthol soft pack

		•					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	1- 1	7.84	13.34	1.49	.84	11.01	11.68
2)	6- 15	7.96	12.82	1.23	.78	10.81	11.44
3)	48- 1	8.94	13.64	1.52	.82	11.30	12.38
4)	53- 4	8.14	13.02	1.34	. 77	10.91	12.20
5)	96- 15	7.80	12.02	1.12	. 75	10.15	11.34
6)	107- 6	7.46	13.58	1.46	.81	11.31	12.14
7)	109- 11	7.26	12.50	1.24	.74	10.52	11.77
8)	138- 18	8.00 `	13.22	1.32	.80	11.10	11.43
9)	153- 1	8.04	14.10	1.63	. 83	11.64	12.97
10)	164- 17	7.92	13.38	1.32	.80	11.26	12.19
11)	187- 19	8.22	13.60	1.28	.88	11.44	12.20
12)	214- 16	7.86	12.80	1.38	. 76	10.66	12.30
13)	218- 10	7.74	12.76	1.49	. 74	10.53	12.37
14)	249- 14	7.84	12.84	1.37	.77	10.70	12.23
15)	278- 14	8.12	13.26	1.29	. 82	11.15	13.01
16)	283- 13	7.40	11.642	1.087.	. 73 ⁷ .	9.83	10.85
17)	313- 9	7.58	13.20	1.31	.80	11.09	11.93
18)	320- 6	7.48	13.44	1.34	.81	11.29	12.00
19)	335- 10	8.28	13.88	1.60	. 81	11.47	12.90
20)	356- G	7.94	14.42	1.68	.83	11.91	12.57

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	7.89100	13.17300	1.37450	79450	11.00400	12.09500
CONFI. INTER.	.16684	.29618	.07135	.01738	.22532	.25198
Stand. Dev.	.37307	.66229	.15955	.03886	.50382	.56345
%C.V.	4.72774	5.02760	11.60818	4.89139	4.57853	4.65856
ally also also also also also also also also	and and a standards also the standards at a standard at the st	alle alle alle alle alle alle alle alle	and the second of the second of the second	and the second of the second	and an area of the second	and the contract of the contract of

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO .
х	7.9 ±0.2	13.2 ±0.3	1.4 ±0.1	0.79 ±0.02	11.0 ±0.2	12.1 ±0.3
s	0.4	0.7	0.2	0.04	0.5	0.6
cv	4.7	5.0	11.6	4 . 9	4.6	4.7

48

Per Cigarette Market Sample Brand Data & Statistics

Philip Morris Commander

king size

non-f	ilter soft	pack					•
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	11-9	9.76	32.76	4.55	1.55	26.66	16.76
2)	18- 2	9.36	32.86	4.40	1.63	26.83	15.54
3)	64- 18	9.58	31.34	3.73	1.58	26.03	15.30
4)	71-11	10.14	34.28	4.34	1.69	28,25	18.66
5)	102- 15	9.76	33.70	4.40	1.71	27.59	16.90
6)	107- 17	8.98	31.86	3.99	1.56	26.31	15.58
7)	127- 13	9.80	33.36	4.50	1.66	27.20	15.38
8)	138- 10	9.98	33.52	4.58	1.62	27.32	16.47
9)	149- 1	9.86	33.54	4.61	1.61	27.32	17.18
10)	152- 19	10.54	36.827	5.50	1.79	29.53	17.65
11)	185- 19	9.70	31.74	4.05	1.60	26.09	15.14
12)	212- 14	9.84	33.40	4.25	1.69	27.46	16.58
13)	234- 14	10.66	33.40 36.04 ⁷	5.261	1.72	29.06	17.55
14)	251- 20	10.00	32.82	4.31	1.65		16.46
15)	254- 20	9.54	33.16	4.46	1.60	27.10	16.63
16)	281- 3	9.62	34.34	4.60	1.76	27.98	16.61
17)	298- 17	9.66	29.76	3.51	1.54	24.71	13.89
18)	313- 17	9.52	32.18	4.33	1.63	26.22	15.91
19)	328~ 14	10.24	36.72 ⁷ ,	5.65	1.74	29.33	17.56
20)	337- 12	9 84	32 58	4 28		26 69	15 41

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	9.81900 .17149	33.33900 .77646	4.46500 .23318	1.64700 .03186	27.22701 .53052	16.30800 .42358		
Stand. Dev.	. 38347	1.73621	.52140	.07124	1.18628	. 94716		
XC.V.	3.90542	5.20774	11.67749	4.32527	4.35700	5,80795		

		Puff-Count	MST	Water	Nicotine	Tar	C 0
İ	Х	9.8 ±0.2	33.3 ±0.8	4.5 ±0.2	1.65 ±0.03	27.2 ±0.5	16.3 ±0.4
!	S	0.4	1.7	0.5	0.07	1.2	0.9
	CV	3.9	5.2	11.7	4.3	4.4	5.8

\$52

Page: 184

Per Cigarette

Market Sample Brand Data & Statistics

100 mm filter menthol hard pack

Row	Run-Port	Puff-Count	TPM	Water	W:	*	
NOW	Kan Fort	idii codiii	3 1- 14	warei.	Nicotine	Tar	CO
1)	22- 13	10.32	19.04	2.07	1.12	15.85	14.20
2)	33- 10	10.62	19.94	2.31	1.14	16.49	14.92
3)	65- 19	10.36	21.06	2.67	1.14	17.25	16.50
4)	70- 13	10.54	19.82	2.15	1,16	16.51	14.91
5)	73- 14	10.88	20.18	2.24	1.13	16.81	14.36
6)	74- 12	10.26	19.84	2.35	1.10	16.39	15.24
7)	127- 8	10.64	21.20	2.79	1.16	17.25	15.38
8)	144- 13	10.60	20.54	2.30	1.09	17.15	14.56
9)	174- 10	10.40	21.50	2.76	1.15	17.59	17.27
10)	179- 20	10.40	19.70	2.32		16.31	15.78
11)	198- 20	10.86 ⁷ ,	22.68 .	3.13 ⁷	1.07 1.22 ⁷ .	18.33	17.38
12)	199- 18	10.08	20.54	2.65 `	1.14	16.75	15.52
13)	217- 7	10.62	19.24	2.22	1.09	15.93	15.19
14)	246- 3	10.88	20.38	2.25	1.14	16.99	15.15
15)	2 56- 8	10.74	20.02	2.11	1.12	16.79	15.69
16)	283- 20	11.04	19.60	2.22	1.16	16.22	15.12
17)	289- 10	10.44	19.12	2.15	1.08	15.89	15.04
13)	316- 19	10.64	19.58	2.23	1.12	16.23	15.02
19)	328- 18	11.00	21.38	2.67	1.20	17.51	16.31
20)	349- 10	10.54	20.30	2.36	1.15	16.79	16.11

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.59300	20.28300	2.39750	1.13400	16.75150	15.48250
CONFI. INTER.	.11404	.40924	.12612	.01688	.28517	.38728
Stand. Dev.	. 25499	.91510	.28202	. 03775	.63766	,86599
%C.V.	2.40720	4.51164	11.76310	3.32916	3.80660	5.59338
********************	the state of the state of the state of	******	de		alle elle elle elle elle elle elle elle	ala

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	Co
Х	10.6 ±0.1	20.3 ±0.4	2.4 ±0.1	1.13 ±0.02	16.8 ±0.3	15.5 ±0.4
s	0.3	0.9	0.3	0.04	0.6	0.9
cv	2.4	4.5	11.8	3.3	3.8	5.6

51

Per Cigarette

Market Sample Brand Data & Statistics

Philip Morris International

filte	r hard pack						
Row	Run-Fort	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	11- 13	10.90	21.36	2.53	1.20	17.63	16.41
2)	20- 9	10.68	21.96	2.68	1.23	18.05	16.79
3)	49- 15	10.44	20.74	2.24	1.20	17.30	14.13
4)	60- 20	10.68	21.18	2.29	1.19	17.70	16.85
5)	101- 2	10.50	20.02	2.07	1.14	16.81	15.99
6)	104- 7	10.78	21.52	2.47	1.18	17.87	16.75
7)	117- 9	10.72	20.80	2.32	1.16	17.32	16.38
8)	128- 19	10.88	21.32	2.50	1.18	17.64	16.09
9)	162- 13	10.68	21.50	2.35	. 1.18	17.97	16.76
10)	171- 5	10.76	21.64	2.42	1.21	18.01	17.99
11)	187- 12	11.02	22.06	2.38	1.27	18.41	17.19
12)	196- 9	10.80	21.24	2.38	1.19	17.67	16.37
13)	230- 9	11.84	23.047	3.21 ¹	1.247.	18.59	18.36
14)	241- 4	10.78	21.86	2.41	1.24	18.21	16.25
15)	267- 4	10.74	21.78	2.59	1.21	17.98	16.73
16)	278- 7	11.02	21.96	2.57	1.21	18.18	17.57
17)	307 6	10.64	20.26	2.12	1.16	16.98	15.77
18)	308- 20	10.88	21.16	2.27	1.24	17.65	16.92
19)	330- 9	10.86	21.20	2.48	1.17	17.55	16.47
20)	341- 1	10.56	21.34	2.59	1.18	17.57	17.34
		– -					

Statistics Array:

Puff-Count=Puffs/Cig
5TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER. Stand. Dev. %C.V.	10.80800 12822 28672 2.65282	.29688 .66384	2.44350 .10702 .23930 9.79346	.01465 .03275	17.75450 .19980 .44676 2.51632	16.65551 .39429 .88167 5.29356
/# W . Y .	T . W. T. T. P. T.	# 1	• • •			

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	10.8 ±0.1	21.4 ±0.3	2.4 ±0.1	1.20 ±0.01	17.8 ±0.2	16.7 ±0.4
s	0.3	0.7	0.2	0.03	0.4	0.9
cv	2.7	3.1	9.8	2.7	2.5	5.3

53

Per Cigarette

Market Sample Brand Data & Statistics
操张铁铁水银银铅水水铁铁铁水铁铁铁水水铁铁水水铁铁水水水水水水水水水水水水水水水水
D1

Players regular size

non-filter hard pack

ilter hard	раск					
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
26- 12	8.62	30.44	3.34	1.69	25.41	16.42
27- 18	8.52	30.30	3.43	1.64	25.23	15.16
42- 15	8.22	29.38	3.27	1.60	24.51	14.88
. 45- 2	8.12	30.42	3.67	1.59	25.16	14.79
84 2	8.18	29.24	3.46	1.60	24.18	16.38
99- 17	8.28	29.78	3.21	1.61	24.98	16.82
121- 12	8.16	28.72	3.43	1.58	23.71	15.46
138- 16	8.14	30.04	3.75	1.56	24.73	16.68
152- 15	8.58	32.14	4.10	1.72	26.32	15.83
165- 13	8.60	31.82	4.15	1.64	26.03	16.74
186- 1	8.50	28.62	3.32	1.55	23.75	15.92
191- 4	8.72	30.12	3.31	1.67	25.14	16.55
218- 16	8.40	31.30	3.60	1.73	25.97	16.55
235- 9	8.92	31.56	3.58	1.83	26.15	15.97
253- 2	8.54	30.28	3.44	1.68	25.16	15.60
276~ 1	8.42	29.72	3.23	1.63	24.86	16.53
298- 15	8.90	35.46	5.33	1.85	28.28	16.26
313 4	8.42	28.40_	3.20	1.60	23.60	14.17
325- 8	9.80	33.08 ⁷ ,	4.36	1.71	27.01	16.59
330- 16	8.60	29.24	3.35	1.62	24.27	15.87
	Run-Port 26- 12 27- 18 42- 15 45- 2 99- 17 121- 12 138- 16 152- 15 165- 13 186- 1 191- 4 218- 16 235- 2 276- 1 298- 15 313- 4 325- 8	26- 12	Run-Port Puff-Count TPM 26-12 8.62 30.44 27-18 8.52 30.30 42-15 8.22 29.38 45-2 8.12 30.42 84-2 8.18 29.24 99-17 8.28 29.78 121-12 8.16 28.72 138-16 8.14 30.04 152-15 8.58 32.14 165-13 8.60 31.82 186-1 8.50 28.62 191-4 8.72 30.12 218-16 8.40 31.30 235-9 8.92 31.56 253-2 8.54 30.28 276-1 8.42 29.72 298-15 8.90 35.46 313-4 8.42 28.40 325-8 9.80 33.087	Run-Port Puff-Count TPM Water 26-12 8.62 30.44 3.34 27-18 8.52 30.30 3.43 42-15 8.22 29.38 3.27 45-2 8.12 30.42 3.67 84-2 8.18 29.24 3.46 99-17 8.28 29.78 3.21 121-12 8.16 28.72 3.43 138-16 8.14 30.04 3.75 152-15 8.58 32.14 4.10 165-13 8.60 31.82 4.15 186-1 8.50 28.62 3.32 191-4 8.72 30.12 3.31 218-16 8.40 31.30 3.60 235-9 8.92 31.56 3.58 253-2 8.54 30.28 3.44 276-1 8.42 29.72 3.23 298-15 8.90 35.46 5.33 313-4 8.42 28.40 3.20 325-8 9.80 33.08 ⁷ 4.36	Run-Port Puff-Count TPM Water Nicotine 26- 12 8.62 30.44 3.34 1.69 27- 18 8.52 30.30 3.43 1.64 42- 15 8.22 29.38 3.27 1.60 45- 2 8.12 30.42 3.67 1.59 84- 2 8.18 29.24 3.46 1.60 99- 17 8.28 29.78 3.21 1.61 121- 12 8.16 28.72 3.43 1.58 138- 16 8.14 30.04 3.75 1.56 152- 15 8.58 32.14 4.10 1.72 165- 13 8.60 31.82 4.15 1.64 186- 1 8.50 28.62 3.32 1.55 191- 4 8.72 30.12 3.31 1.67 218- 16 8.40 31.30 3.60 1.73 235- 9 8.92 31.56 3.58 1.83 253- 2 8.54<	Run-Port Puff-Count TPM Water Nicotine Tar 26-12 8.62 30.44 3.34 1.69 25.41 27-18 8.52 30.30 3.43 1.64 25.23 42-15 8.22 29.38 3.27 1.60 24.51 45-2 8.12 30.42 3.67 1.59 25.16 84-2 8.18 29.24 3.46 1.60 24.18 99-17 8.28 29.78 3.21 1.61 24.96 121-12 8.16 28.72 3.43 1.58 23.71 138-16 8.14 30.04 3.75 1.56 24.73 152-15 8.58 32.14 4.10 1.72 26.32 165-13 8.60 31.82 4.15 1.64 26.03 186-1 8.50 28.62 3.32 1.55 23.75 191-4 8.72 30.12 3.31 1.67 25.14 218-16

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.53200	30.50300	3.62650	1.65500	25.22150	15.95750
CONFI, INTER.	.16979	.75795	.23148	.03655	.52216	. 33276
Stand. Dev.	.37966	1.69484	.51760	.08172	1.16759	.74408
%C.V.	4.44986	5.55630	14.27267	4.93806	4.62933	4.66291
all all the death at the stands of the stands at the stands of the	ملت خاد ش شد شد شده ال خاد مله ملد خاد داد مله م		eta alle eta eta eta eta eta eta eta eta eta e			****

Rounded Statistics:

	Puff-Count	тем	Water	Nicotine	Tar	CO
x	8.5 ±0.2	30.5 ±0.8	3,6 ±0.2	1.66 ±0.04	25.2 ±0.5	16.0 ±0.3
s	0.4	1.7	0.5	0.08	1.2	0.7
cv	4.4	5.6	14.3	4.9	4.6	4.7



Per Cigarette

Market Sample Brand Data & Statistics

Virginia	Slims	Lights	120's
120 mm			

filte	r menthol	hard pack				_	
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
	~~ 4	12 54	10 70	2.09	1.04	16,17	15.86
1)	25- 4	12.56	19.30				
2)	36- 13	12.28	16.18	1.44	1.05	13.69	13.21
3)	38− 6	12.84	15.80	1.42	1.01	13.37	13.40
4)	47- 20	13.20	17.66	1.76	1.06	14.84	14.64
5)	90- 12	13.20	16.42	1.51	1.03	13.88	14.28
6)	91- 15	13.28	16.16	1.48	1.00	13.68	12.45
7)	110- 5	12.98	16.42	1.52	1,01	13.89	13.39
8)	141- 17	13.36	18.08	1.89	1.08	15.11	14.84
9)	154- 6	12.84	16.50	1.45	1.04	14.01	14.08
10)	163- 8	13.18	17.30	1.57	1.03	14.70	15.12
11)	193- 12	12.70	18.54	1.80	1.09	15.65	16.02
12)	206- 14	12.78	19.48	1.97	1.12	16.39	16.93
13)	223- 1	13.20	19.56	2.12	1.13	16.31	13.84
14)	252- 19	13.94	17.38%	1.69	1.09	14.60	14.80
15)	254- 8	12.82	15.94	1.42	1.06	13.46	13.87
16)	259- 3	13.18	17.64	1.71	1.04	14.89	15.47
17)	310- 14	12.60	18.94	2.19	1.10	15.65	16.21
18)	315- 17	12.84	17.22	1.70	1.02	14.50	14.80
19)	353- 20	12.68	16.00	1.51	.98	13.51	14.14
20)	356- 13	12.88	15.52	1.41	. 98	13.13	12.86

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	12.96700	17.30201	1.68250	1.04800	14.57150	14.51050
CONFI. INTER.	. 16194	.58628	.11361	.01934	. 46351	.53126
Stand. Dev.	.36212	1.31097	.25404	.04324	1.03645	1.18793
%C.V.	2.79259	7.57700	15.09887	4.12571	7.11284	8.18671
the triangle of the site of the site of the site of the site of	alo de alo ele ele de de alo ele ele ele de alo de	de	An also also also also also also also also	ake	水水水水水水水水水	水水水水水水水水水水

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	13.0 ±0.2	17.3 ±0.6	1.7 ±0.1	1.05 ±0.02	14.6 ±0.5	14.5 ±0.5
s	0.4	1.3	0.3	0.04	1.0	1.2
٥v	2.8	7.6	15.1	4.1	7.1	5.8

Per Cigarette

Market Sample Brand Data & Statistics Benson & Hedges king size

filte	r hard pack						
Ro₩	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	4- 6	9.58	19.22	2.07	1.23	15.92	12.13
2)	15- 13	9.34	17.24	1.65	1.15	14.44	11.63
3)	59- 2	9.22	16.90	1.58	1.08	14.24	11.21
4)	60-14	9.50	18.80	2.16	1.21	15.43	12.20
5)	86- 3	9.40	17.60	1.96	1.12	14.52	11.18
6)	97- G	9.22	19.04	2.04	1.20	15.80	11.61
7)	109 15	9.20	17.98	1.89	1.18	14.91	11.41
8)	130 10	9.18	17.18	1.72	1.13	14.33	10.72
91	158- 7	9.28	18.58	2.17	1.15	15.26	11.26
10)	173- 15	9.22	18.00	1.86	1.14	15.00	11.58
11)	186- 9	9.80	19.70	2.29	1.27	16.14	11.89
12)	195- 19	9.24	18.02	1.92	1.18	14.92	10.83
13)	237- 14	9.36	18.02	1.75	1.21	15.06	. 11,44
14)	248- 16	9.70	17.02	1.65	1.13	14.24	10.52
15)	266- 14	10.42	21.647	' ≥.96	1.31	17.37	13.67
16)	285- 5	9.28	16.42	1.64	1.11	13.67	10.50
17)	315- 14	9.50	19.18	2.13	1.21	15.84	11.78
18)	324- 18	9.62	17.70	1.87	1.16	14.67	11 30
19)	326- 8	9.96	17.24	1.66	1.16	14.42	11 ≥0
20)	339- 4	9.34	19.16	2.15	1.21	15.80	12.42

Statistics Arrav:

Puff-Count=Puffs/Cia TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.46800	18.23200	1.95600	1.17700	15.09900	11.52400
CONFI. INTER.	.13997	.54380	.14259	.02493	.38642	.32606
Stand. Dev.	.31298	1.21597	.31884	. 05573	. 86406	.72910
%C.V.	3.30561	6.66943	16.30044	4.73529	5.72262	6.32678

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C0
1	9.5 ±0.1	18.2 ±0.5	2.0 ±0.1	1.18 ±0.02	15.1 ±0.4	11.5 ±0.3
3	0.3	1.2	0 .3	0.06	0.9	0.7
ΩV	3.3	6.7	16.3	4.7	5.7	6.3

Discussed of w.F. Kuhn

Per Cigarette

Market Sample Brand Data & Statistics

Benson & Hedges 100's

100 mm

filte	r menthol	hard pack					
ROW	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1.1	25- 9	9.82	18.76	1.91	1.05	15.80	14.73
2)	34- 11	10.08	17.96	1.80	1.06	15.10	13.59
3)	39- 18	10.12	20.00	2.42	1.17	16.41	14.51
4)	46- 17	10.04	18.96	2.03	1,11	15.82	13.58
5)	107- 20	10.00	20.50	2.49	1.12	16.89	16.33
6)	108- 4	9.98	19.32	1.97	1.10	16.25	15.51
77)	135- 14	10.30	19.62	1.99	1.13	16.50	14.75
8)	136- 16	10.14	20.80	2.55	1.14	17.11	16.65
9)	156- 8	11.02	20.44	2.29	1.18	16.97	15.46
10)	171- 15	10.44	20.50	2.16	1.18	17.16	15.81
. 11)	187- 13	10.10	18.44	1.87	1.14	15.43	14.24
12)	20 6- 6	9.88	19.32	1.98	1.09	16.25	15.39
13)	235- 18	9.96	18.98	1.91	1.12	15.95	14.79
14)	242- 8	10.26	18.94	1.98	1.14	15.82	15.43
15)	257- 4	10.64	20.34	2.30	1.18	16.86	15.20
16)	286- 18	10.30	19.94	2.32	1.15	16.47	15.69
17)	299- 15	10.52	20.60	2.27	1.20	17.13	16.19
18)	302- 16	9.92	18.96	1.96	1.14	15.86	14.92
19)	327- 10	10.36	19.20	2.11	1.15	15.94	13.97
20)	344- 19	10.36	18.90	1.89	1.11	15.90	14.74

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.21200	19.52401	2.11000	1.13300	16.28100	15.07400
CONFI. INTER.	. 13095	.36506	.10019	.01772	.26729	.38273
Stand, Dev.	. 29282	.81630	.22403	.03962	.59769	.85580
%C.V.	2.86740	4.18099	10.61754	3.49661	3.67107	5.67733

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	10.2 ±0,1	19.5 ±0.4	2.1 ±0.1	1,13 ±0.02	16.3 ±0.3	15.1 ±0.4
5	0.3	0.8	0.2	0.04	0.6	0.9
cv	2,9	4.2	10.6	3.5	3.7	5.7

Per Cidarette Market Sample Brand Data & Statistics

Benson & Hedges 100's

filter menthol soft nack

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CQ
1)	7- 8	10.60	20.12	2.20	1.15	16.77	15.92
2)	30- 4	10.42	19.02	1.94	1.16	15.92	15.07
3)	45- 7	10.14	19.48	2.11	1.14	16.23	14.95
4)	54- 5	10.26	18.98	2.06	1.11	15.81	16.01
5)	74- 10	10.48	19.00	1.82	1.16	16.02	15.23
6)	103- 19	10.44	19.52	2.29	1.13	16.10	15.17
7)	111-8	9.96	20.42	2.25	1.16	17.01	16.73
8)	112- 11	10.08	19.16	1.98	1.16	16.02	16.09
9)	147- 14	10.66	20.94	2.42	1 20	17.32	16.42
101	178- 8	10.44	20.40	2.33	1.08	16.99	18.76
11)	192- 5	10,78	19.00	1.89	1.15	15.96	15.66
12)	213- 16	10.52	20.00	2.19	1.16	16.65	16.64
13)	228- 15	10.68	20.42	2.31	1.21	16.90	15.92
14)	237- 6	10.44	19.82	2.28	1.15	16.39	16.22
15)	255- 20	10.18	19.50	2.17	1.16	16.17	15.84
16)	256- 20	10.66	20.34	2.35	1.20	16.79	16.55
17)	296- 14	10.58	20.38	2.33	1.25	16.80	17.14
18)	317- 1	10.32	19.22	2.10	1.10	16.02	16.37
19)	333- 6	10,54	19.54	≘.16	1.18	16.20	15.54
20)	360- 15	10.16	19.34	2.07	1.19	16.08	16.51

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean		10,41700	19.73000	2.16250	1.16000	16.40751	16.13700		
CONFI.	INTER.	.10083	.27063	.07394	.01753	.20122	. 38432		
Stand.	Dev.	. 22546	.60515	.16533	.03920	. 44995	.85936		
%C.V.		2.16436	3.06717	7.64553	3.37953	2.74232	5.32542		

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	10.4 ±0.1	19.7 ±0.3	2.2 ±0.1	1.16 ±0.02	16.4 ±0.2	16.1 ±0.4
s	0. を	0.6	0.2	0.04	0.4	0.9
cv	a.a	3,1	7.6	3.4	2.7	5.3

rage:

Per Cigarette

Market Samole Brand Data & Statistics

来看你要你要你要说我的我们,我们就会看着你的,我们就是我们的,我们就会看到这个女人,我们就会看到这些女人,我们就是我们的我们的,我们就会看到这些女人,我们就会看 B&H Deluxe Ultra Lohts 100's

100 mm

filter hard pack

7

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
1)	1- 12	9.48	6.52	.52	. 49	5 .51	7.03
2)	6- 6	9.02	6.40	. 46	.48	5.46	6.86
3)	37- 1	9.06	7.68	. 61	.51	6.56	7.51
4)	38- 2	9.78	6.62	.50	. 49	5,63	6.51
5)	95- 6	8.78	7.00	.54	. 47	5.99	7.35
6)	108- 5	9.06	6.40	. 47	. 45	5.48	6.33
7)	113- 3	8.80	6.56	.51	. 45	5.60	6.81
8)	136- 13	8.92	6.40	. 58	.46	5.36	6.52
9)	157- 12	9.18	6.58	. 49	. 46	5.63	6.95
10)	164- 20	9.28	7.22	. 61	.49	6.12	7.12
11)	186- 11	9.10	6.00	. 45	. 43	5.12	5.92
12)	213- 17	8.72	7.02	. 56	. 49	5.97	7.18
13)	220- 8	9.06	6.20	.51	. 46	5.23	6.80
14)	245- 9	9.02	7.50	. 65	. 58	6,27	7.44
15)	262- 9	9.40	8.28	.69	.62	6.97	8.87
16)	281- 5	9.26	6.74	.58	. 55	5.61	7.07
17)	296- 20	8.56	8.50	. 75	. 57	7.18	9.47
18)	301- 5	9.28	6.38	. 54	. 45	5.39	6.61
19)	340- 2	9.10	5.98	. 48	. 44	5.06	7.06
20)	361-8	9.38	6.90	.54	. 51	5.85	7.53

Statistics Array:

Puff-Count=Puffs/Cia TPM, Water, Nicotine, TAR & CO=Mg per Cig

9,11200 6.84400 .55200 .49250 5.79950 7.14700 Mean CONFI. INTER. .12763 . 31001 .03532 .02289 .25903 Stand. Dev. .28539 .69320 .07898 .05118 .57921 .80835 3.13204 10.12863 14.30803 10.39256 9.98732 11.31027

%C.V.

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C 0
х	9.1 ±0.1	6.8 ±0.3	0.6 ±0.04	0.49 ±0.02	5.8 ±0.3	7.1 ±0.4
s	0.3	0.7	0.1	0.05	0.6	0.8
cv	3.1	10.1	14.3	10.4	10.0	11.3

Per Cigarette

Market Sample Brand Data & Statistics

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	15- 20	9.30	6.66	.57	. 49	5.60	6.60
2)	22- 15	9.34	5.94	.50	. 46	4.98	5.30
3)	39- 11	10.24	6.20	. 42	. 45	5.33	5.81
4)	42- 9	9.30	6.36	. 46	. 44	5.46	5.00
5)	80- 6	9.70	6.30	.54	.51	5.25	5.99
6)	107- 18	9.56	6.22	. 46	. 46	5.30	6.29
7)	118- 14	9.78	6.28	.50	. 48	5.30	6.28
8)	137- 16	9.60	6.32	.52	. 47	5.33	5.91
9)	161- 2	9.88	6.18	.49	44	5.25	8.00
10)	164- 16	10.20	5.82	. 43	. 42	4.97	5.73
11)	185- 6	9.90	6.12	. 53	.50	5.09	5.87
12)	188- 13	9.94	6.18	. 56	.52	5.10	5.38
13)	234- 18	10.14	6.24	. 49	. 48	5.27	6 .67
14)	237- 7	9.74	6.98	. 57	. 57	5.84	7.01
15)	258- 8	9,80	6.40	.51	. 54	5.35	6.43
16)	261- 8	9.12	5.86	. 44	. 47	4.95	5.90
17)	296- 18	9.56	7.76	.68	.56	6.52	8.15
13)	313- 1	10.32	6.62	. 59	.50	5.53	5.99
19)	325- 11	9.40	8.08	. 64	.57	6.87	8.15
20)	354- 11	10.36	6.32	. 54	. 48	5.30	5.40

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Stand Dev36698 .57311 .06756 .04359 .48699 .8285	_ ,						6.19300 .37070 .82892 13.38477
--	-----	--	--	--	--	--	---

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
Х	9.8 ±0.2	6,4 ±0.3	0.5 ±0.03	0.49 ±0.02	5.4 ±0.2	6.2 ±0.4
S	0.4	0.6	0 , 1	0.04	0.5	0.8
cv	3.8	8.9	12.9	8.9	9.0	13.4

Per Cigarette

Market Sample Brand Data & Statistics

100 ---

filter soft pack

filte	r soft pack						•
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	СО
1)	17- 6	9.80	11.78	1.02	.78	9.98	12.53
⊉)	22 - 1	9.60	11.50	1.00	. 76	9.74	12.37
3)	51-8	9.98	11.94	1.06	. 75	10.13	11.81
4)	58- 10	9.96	11.26	. 95	. 82	9.49	11.97
5)	85→ 1 7	10.02	12.94	1.13	.87	10.94	13.06
6)	90- 2	10.30	11.82	1.04	. 81	9.97	12.21
7)	110- 1	9.90	12.84	1.14	.88	10.82	12.85
8)	119- 11	10.64	12.50	1.08	. 87	10.55	12.79
9)	152- 9	10.20	12.62	1.17	77	10.68	12.97
10)	157- 20	10.12	13.40	1.19	.82	11.39	13.69
11)	211- 15	9.82	12.76	1.12	.81	10.83	12.83
12)	214- 19	10.18	12.80	1.18	. 80	10.82	12.65
13)	244- 9	9.88	11.90	1.02	.84	10.04	12.44
14)	247- 1	10.24	12.84	1.18	.78	10.88	14.13
15)	253- 11	10.42	11.44	. 91	. 74	9.79	11.37
16)	286- 16	10.18	12.28	1.18	. 81	10.29	12.66
17)	296- 3	9.72	12.44	1.07	.80	10.57	13.55
18)	323- 15	10.04	12.38	1.05	. 79	10.54	13.49
19)	344- 15	9.72	12.84	1.14	.81	10.89	12.48
20)	349- 18	10.36	12.74	1.13	. 82	10.79	14.29

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	10.05400 .11884	12.35100 .26194	1.08800 .03629	.80550 .01718	10.45650	12.80700 .33265
Stand, Dev.	.26573	.58571	.08115	.03843	.49891	.74384
%C.V.	2.64307	4.74218	7.45861	4.76457	4.77126	5.80806
**************	水水水水水水水水水水	*******	********	******	*********	**********

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	10.1 ±0.1	12.4 ±0.3	1.1 ±0.04	0.81 ±0.02	10.5 ±0.2	12.8 ±0.3
s	0.3	0.6	0.1	0.04	0.5	0.7
CΛ	2.6	4.7	7.5	4.8	4.8	5.8

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filter menthol soft pack

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	29- 17	10.68	12.36	1.07	.78	10.51	11.41
2)	32- 18	10.48	12.00	1.02	.76	10,22	12.36
3)	51- 10	10.14	12.36	1.07	. 77	10.52	10.91
4)	70- 2	10.32	12.94	1.14	. 89	10.91	12.66
5)	99- 13	10.42	12.18	1.04	. 77	10.37	11.95
5)	104- 9	10.10	12.52	1.14	.77	10.61	11.57
7)	139- 8	10.06	12.24	1.15	.73	10.36	11.75
8)	142- 8	10.72	13,62	1.32	.83	11.47	12.74
9)	169- 1	10.56	13.26	1.29	. ,80	11.17	13.59
10)	172- 10	10.32	11.94	1.01	. 77	10.16	12.85
11)	185- 2	10.08	12.80	1.24	.76	10.80	12.32
(2)	200- 9	10.30	11.92	1.04	. 79	10.09	11.68
13)	238- 20	10.56	13.32	1.19	. 84	11.29	13.51
14)	247- 7	10.06	11.54	1.03	. 71	9.80	11.60
15)	260- 19	10.40	12.48	1.13	.78	10.57	12.51
16)	275- 1	10.70	13.88	1.27	.83	11.78	13.26
17)	290- 6	10.40	11.70	1.11	. 75	9.84	11.70
18)	297- 4	9.98	11.78	1.08	. 76	9.94	11.37
19)	346- 5	10.04	12.64	1.13	.80	10.71	11.84
20)	347- 18	10.16	12.74	1.16	. 78	10.80	12.16

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER. Stand. Dev.	10.32400 .10716 23961	12.51100 .28941 .64715	1.13150 .04120 .09213	.78350 .01814 .04056	10.59600 .24095 .53878	12.18700 .33215
XC.V.	2.32094	5.17262	8.14189	5.17659	5.08479	6.09430

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	- C0
x	10.3 ±0.1	12.5 ±0.3	1.1 ±0.04	0.78 ±0.02	10.6 ±0.2	12.2 ±0.3
s	0.2	0.6	0.1	0.04	0.5	0.7
cν	2.3	5.2	8.1	5.2	5.1	G . 1

Page: 13 П

Per Cigarette Market Sample Brand Data & Statistics

Benson & Hedges Multifilter

king size

· · · · · ·		•						
filte	r soft pack							
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
4.	سمو بيدون	0.60		1 60	9.6	11.98	10.53	
1)	43- 5	8.60	14.56	1.62	. 96			
2)	43- 4	8.68	15.22	1.72	. 95	12.55	10.75	
3)	44- 5	8.46	14.60	1.64	. 89	12.07	11 10	
4)	50- 14	8.36	14.30	1.54	,87	11.89	11.60	
5)	101- 13	8.82	14.02	1.48	. 86	11.68	11.40	
6)	106- 5	8.48	14.58	1.65	.79	12.14	12.29	
7)	122- 1	8.36	14.64	1.72	. 85	12.07	11.66	
8)	139- 6	8,42	13.34	1.58	.78	10.98	10.71	
9)	161- 12	8.62	13.54	1.47	. 79	11.28	10.96	
10)	162- 1	8.78	15.70	1.77	. 88	13.05	12.55	
11)	183- 5	8.82	15.22	1.70	. 90	12.62	10.91	
12)	194- 15	8.34	15.14	1.85	. 89	12.40	12.25	
13)	229- 12	8.60	14.50	1.67	. 83	12.00	11.68	
14)	234- 7	8.96	15.48	1.81	.91	12.76	12.55	
15)	269- 17	8.38	13.92	1.46	. 84	11.62	11.61	
16)	284- 13	8.26	13.90	1.49	. 85	11.56	11.18	
17)	305- 5	8.66	14.18	1.55	. 89	11.74	11.66	
18)	312- 5	8.36	15.68	1.90	. 89	12.89	11.96	
19)	326- 9	9.06	15.58	1.92	.92	12.74	12.52	
20)	333- 17	8.10	14.94	1.72	. 84	12.38	12.29	
							1	

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.55600	14.65200	1.66300	.86900	12.12000	11.60700			
CONFI. INTER.	.11064	.31645	.06330	.02210	.24776	. 29339			
Stand, Dev.	.24739	.70759	.14154	.04941	.55402	.65603			
%C.V.	2.89148	4.82934	8.51093	5.68550	4.57111	5.65205			

	Puff-Count	TPM	Water	Nicotine	Tar	CO
Х	8.6 ±0.1	14.7 ±0.3	1.7 ±0.1	0.87 ±0.02	12.1 ±0.2	11.6 ±0.3
s	0.2	0.7	0.1	0.05	0.6	0.7
cv	2.9	4.8	8.5	5.7	4.6	5.7

Per Cigarette

Market Sample Brand Data & Statistics

************************ Cambridge Lights kina size filter soft pack Row Run-Port Puff-Count TPM Water Nicotine Tar co12 16 12 05 1) 13- 10 8 68 14 54 1 56 22 2) 32-3 8.26 13.72 1.43 .80 11.49 11 49 9 12.09 11.31 48-8.46 14.32 1.39 . 34 31 12.29 12.73 4) 63- 16 8.52 14.68 1.56 .83 8.00 .80 11.11 11.47 5) 82-- 11 13 24 1 33 97- 20 8.48 6) 14.78 1.66 .81 12.31 12.79 8.38 11.86 12.68 7) 124-14.18 1.49 .83 1 13.32 12.36 23 131- 10 7.98 14.82 1.61 85 .83 8.56 15.34 1.79 12.72 12.66 9) 151- 15 12.78 12.74 10) 156-9 8.64 15.48 1.85 . 85 192- 16 .86 12.12 13.06 111 8.34 14.48 1.50 12.26 13.80 8.22 14.94 1.78 .90 12) 207-- 2 223- 18 8.36 14.02 1.48 .81 11.73 11.42 13) 224- 5 8.54 15,54 1.75 .91 12.88 12.32 14) 12.22 11.61 15) 285- 11 8.20 13.94 1.52 .81 11.82 12.16 16) -885 8.06 14.30 1.68 .80 8

1.74

1.43

1.94

2.10

Statistics Array:

298-

323-

340-14

349- 11

1

7

17)

18)

19)

20)

8.30

8.40

8.48

9 36

15.06

13.92

15.26

16.00

14

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

.83

81

.84

. 95

12.49

11.68

12.48

12.95

Mean	8.41100	14.62800	1.62950	.83900	12.15950	12.53100		
CONFI. INTER.	. 13341	. 31155	.08899	.01788	. 22059	. 33673		
Stand. Dev.	. 29831	.69665	.19898	.03999	.49324	.75295		
%C.V.	3.54666	4.76245	12.21133	4.76601	4.05644	6.00871		

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	8.4 ±0.1	14.6 ±0.3	1.6 ±0.1	0.84 ±0.02	12.2 ±0.2	12.5 ±0.3
s	0.3	0.7	0.2	0.04	0.5	0.8
cv	3.5	4.8	12.2	4.8	4.1	6.0

17

13.17

12.31

12.99

13.93

Per Cigarette

Market Sample Brand Data & Statistics

Cambridge Lights

king size

filter menthol	soft pack
----------------	-----------

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
4.5	77 0	7 00	47 46		77	44.00	44 00
1)	33- 2	7.96	13.16	1.31	. 77	11.08	11.88
2)	34- 4	8.26	14.96	1.65	. 86	12.45	13.69
3)	53- 19	8.12	14.12	1.29	.82	12.01	12.78
4)	54- 9	8.02	13.78	1.39	. 79	11.60	11.36
5)	95- 5	8.40	13.94	1.27	.82	11.85	13.19
6)	100- 9	8.18	14.84	1.55	. 85	12.44	12.78
7)	123- 3	7.88	13.22	1.28	.78	11.16	11.63
8)	126- 9	8.74	15.76	1.90	. 90	12.96	13.78
9)	154- 16	9.16	15.76	1.73	. 88	13.15	13.06
10)	179- 4	8.14	14.60	1.54	. 79	12.27	12.51
11)	181- 12	8.12	14.10	1.39	. 83	11.88	12.83
12)	214- 6	8.16	13.74	1.39	. 53	11.82	12.23
13)	241- 14	8.22	14.05	1.41	. 84	11.81	12.00
14)	242- 17	7.90	14.34	1.45	. 84	12.05	12.34
15)	253- 9	7.84	13.58	1.28	.77	11.53	13.20
16)	284- 12	7.92	13.78	1.47	. 81	11.50	12.51
17)	308- 9	8.32	14.16	1.32	. 84	12.00	12.66
18)	311- 11	8.32	13.90	1.37	. 83	11.70	12.22
19)	339- 15	7.90	12.56	1.15		10.65	11.04
20)	356- 19	8.12	14.96	1.56			12.86
8) 9) 10) 11) 12) 13) 14) 15) 17) 18)	126- 9 154- 16 179- 4 181- 12 214- 6 241- 14 242- 17 253- 9 284- 12 308- 9 311- 11 339- 15	8.74 9.16 8.14 8.16 8.22 7.90 7.84 7.92 8.32 7.90	15.76 15.76 14.60 14.10 13.74 14.06 14.34 13.58 13.78 14.16 13.90 12.56	1.90 1.73 1.54 1.39 1.41 1.45 1.28 1.37 1.32	.90 .88 .79 .83 .53 .84 .84 .77 .81	12.96 13.15 12.27 11.88 11.82 11.81 12.05 11.53 11.50 12.00	13.78 13.06 12.51 12.83 12.23 12.00 12.34 13.20 12.51 12.66 12.22

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.18400	14.16600	1.43500	.80800	11.92300	12.52750
CONFI. INTER.	.14090	.36222	.08001	.03374	. 27339	.32019
Stand, Dev.	.31507	.80994	.17890	.07544	.61132	.71597
%C.V.	3.84979	5.71750	12.46691	9.33609	5.12720	5.71517

Rounded Statistics:

	Puff-Count	, TPM	Water	Nicotine	Tar	C0
x	8.2 ±0.1	14.2 ±0.4	1.4 ±0.1	0.81 ±0.03	11.9 ±0.3	12.5 ±0.3
s	0.3	0.8	0.2	0.08	0.6	0.7
cv	3.8	5.7	12.5	9.3	5.1	: 5.7

Per Cigarette

Market Sample Brand Data & Statistics

Cambridge Lights 100's

100 mm

,	•••							
filte	r soft pack							
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
1.)	2- 4	10.26	14.14	1.28	. 89	11.97	14.23	
2)	5- 16	10.34	13.64	1.34	.83	11.47	13.88	
3)	46- 1	9.96	13.54	1.29	. 81	11.44	13.34	
4)	67- 18	10.44	14.18	1.37	. 85	11.96	15.03	
5)	84- 15	9.92	14.24	1.35	. 94	11.95	14.30	
6)	87- 1	10.20	14,98	1.52	. 90	12.56	14.47	
71	110- 20	10.04	13,90	1.37	. 84	11.69	14.37	
8)	125- 2	9.94	13.82	1.37	. 83	11.62	14.02	
9)	165- 17	10.18	14.30	1.38	.86	12.06	14.50	
10)	176- 20	9.80	14.06	1.42	. 83	11.81	15.22	
11)	202- 17	9 .98	14.04	1.43	.88	11.73	14.15	
12)	205- 5	10.20	14.12	1.45	.87	11.80	14.02	
13)	231- 14	9.92	14.40	1.39	. 87	12.14	14.79	
14)	252- 5	10.54	15.20	1.48	.89	12.83	14.17	
15)	273- 16	10.44	15.00	1.44	. 94	12.62	15.46	
16)	282- 8	10.46	14.78	1.50	. ୨ଇ	12.36	14.73	
17)	305- 10	10.22	14.16	1.39	.88	11.89	13.95	
18)	322- 17	9.68	14.14	1.50	.85	11.79	14.77	
19)	337- 17	9,68	13.48	1,30	. 82	11.36	14.51	
20)	340- 4	10.32	13.34	1.26	.84	11.24	13.57	
			- · - ·	•				

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.12600	14.17300	1.39150	.86700	11.91450	14.37400
CONFI. INTER.	.11626	.22767	.03407	.01705	.18990	.23695
Stand. Dev.	. 25997	.50909	.07618	.03813	. 42463	.52983
%C.V.	2.56733	3.59195	5.47443	4.39760	3.56397	3.68603
*********	********	**********	********	*******	******	水水水水水水水水水

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO.
x	10.1 ±0.1	14.2 ±0.2	1.4 ±0.03	0.87 ±0.02	11.9 ±0.2	14.4 ±0.2
s	0.3	0.5	0.1	0.04	0.4	0.5
cv	2.6	3.6	5.5	4.4	3.6	3:7

Per Cigarette

Market Sample Brand Data & Statistics

***************************** Cambridge Lights 100's

i 0 0 mm

f	í l	ter	menthol	soft	pack	
---	-----	-----	---------	------	------	--

100 111	147							
filte	r menthol	soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co	
1)	15- 2	9 .88	13.80	1.23	. 84	11.73	15.10	
3)	16- 3	9.70	13.28	1.17	.84	11.27	13.72	
3)	53- 3	10.10	13.54	1.17	.80	11.57	13.45	
4)	54- 10	9.92	13.14	1.07	.79	11.28	13.31	
5)	96 6	10.04	13.48	1.11	.86	11.51	14.89	
6)	103- 4	10.32	14.52	1.35	. 89	12.28	14.16	
7)	116- 16	9.74	14.25	1.27	.89	12.10	14.57	
8)	133- 20	9.92	13.82	1.29	. 86	11.67	13.79	
9)	149- 10	10.40	14.50	1.36	.89	12.25	14.01	
10)	180- 16	9,86	14.18	1.30	.87	12.01	14.54	
11)	195- 9	10.02	13.30	1.20	.85	11.25	13.01	
12)	212- 15	10.16	13.80	1.18	.86	11.76	13.30	
13)	219- 17	10.46	14.68	1.47	. 91	12.30	. 14.20	
14)	226- 7	10.04	14.00	1.30	.88	11.82	13.85	
15)	272- 9	10.66	13.66	1.21	.84	11.61	13.57	
16)	275- 16	9.88	13.68	1.20	.86	11.62	14.00	
17)	314- 4	10.52	14.08	1.27	.87	11.94	14.69	
18)	317- 5	10.30	14.44	1.28	.89	12.27	14.59	
19)	338- 11	9,42	14.12	1.34	.86	11.92	14.32	
20)	357- 12	10.18	13.34	1.11	. 84	11.39	13.77	
		• • • • =		· ·	,			

Statistics Arrav:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.07600	13.88100	1.24400	.85950	11.77750	14.04200
CONFI. INTER.	. 13693	.20545	.04383	.01334	. 15604	.25561
Stand, Dev.	.30619	.45940	.09800	.02982	. 34891	.57157
%C.V.	3.03879	3.30959	7.87790	3.46942	2.96248	4.07042
The side and all the one are all all the are are all all the are	to the tip the tip the tip the tip the tip the	the also storate also also also also also also	is the site die als die de die die die de	en de ata de de de de de de de	the star of the star of the star of	de

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	co
x	10.1 ±0.1	13.9 ±0.2	1.2 ±0.04	0.86 ±0.01	11.8 ±0.2	14.0 ±0.3
s	至.0	0.5	0.1	0.03	0.3	0.6
cν	3.0	3.3	7.9	3.5	3.0	4.1

Per Cigarette

10.72

Market Sample Brand Data & Statistics

44

	sh uvais							
king	size							
non-f	ilter hard	pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
-1)	19- 6	10.10	27.54	2.63	1.77	23.14	14.42	
2)	26- 17	10.34	30.02	3.52	1.87	24.63	15.80	
3)	59- 18	10.84	30.44	3.39	1.87	25.18	15.98	
4)	62- 11	9.96	26.70	2.62	1.70	22.38	14.41	
5)	76- 17	10.68	29.76	3.06	1.95	24.75	15.76	
6)	103- 17	9.86	27.26	2.84	1.67	22.75	14.60	
7)	112- 20	10.34	31.58	3.86	1.94	25.78	16.53	
8)	131- 20	9.90	26.98	2.65	1.69	22.64	14.72	
9)	151- 4	10.76	30.42	3.55	1.88	24.99	15.65	
10)	158- 3	10.64	28.92	3.08	1.78	24.06	15.32	
11)	182- 19	10.78	29.14	3.40	1.77	23.97	15.50	
12)	209- 2	9.78	27.10	2.91	1.68	22.51	14.79	
13)	221- 16	9.72	27.50	2.73	1.67	23.10	13.85	
14)	246- 9	10.96	31.24	3.57	2.02	25.65	16.11	
15)	255- 13		27.48	2.68	1.76	23.04	14.80	
16)	262- 20	10.68	31.36	3,80	1.87	25.69	16.16	
17)	318- 19	10.74	31.86	3.85	1.96	26.05	16.37	
18)	319- 15	10.50	28.34	2.78	1.89	23.67	14.46	
19)	327- 14	11.20	31.42	3.57	2.05	25.80	14.94	

3.29

Statistics Arrav:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

1.93 .

24.88

Mean	10.45400	29.25800	3.18900	1.83600	24.23300	15.34701
CONFI. INTER.	. 19241	.79490	.19676	.05359	.56243	.37131
Stand. Dev.	.43023	1.77746	.43996	.11984	1.25763	.83028
%C.V.	4.11547	6.07513	13.79626	6.52734	5.18976	5,41002
The sile will be the sile of	and the state of the state of the state of	****	*****	k ade ade ale ale ale ale ale ale ale	表示出来表示表示法法	表法表表法表法法法

30.10

	Puff-Count	TPM	Water	Nicotine	Tar	C 0 .
x	10.5 ±0.2	29.3 ±0.8	3.2 ±0.2	1.84 ±0.05	24.2 ±0.6	15.3 ±0.4
s	0.4	1.8	0.4	0.12	1.3	0.8
cν	4 . 1	6.1	13.8	6.5	5.2	5 . 4

19

Per Cigarette

Market Sample Brand Data & Statistics

Hi-Lite 100 mm filter hard pack Row Run-Port Puff-Count TPM CO Water Nicotine Tar 25-10.50 16.72 1.65 .96 14 11 13 79 1) 1.05 2) 28- 11 9.62 17.02 1.72 14.25 13.63 10.36 3) 41-7 16.08 1.58 1.00 13.50 12.99 9 17.36 4) 66-10.26 1.75 1.02 14.53 15.71 10.08 5) 108~ 2 16.24 1.55 . 98 13.71 14.29 6) 128- 9 10.78 17.84 1.92 1.06 14.86 15.02 14.12 7) 10.18 .99 14.40 129-16.96 1.85 157-9.82 15.08 12.82 8) 9 1.36 .90 14.27 1.02 9) 168~ 10.78 16.86 1.72 14.12 14.32 1 181-10) 6 10.18 16.06 1.60 .98 13.48 14.78 13.23 11) . 187-1.47 1.02 12.95 7 10.42 15.44 12) 196- 16 10.26 16.82 1.04 13.98 1.80 15.97 13) 218- 13 9.66 15.74 1.52 . 97 13.25 14.36 14) 227-Δ 10.06 13.44 16.08 1.63 1.01 13.27 15) 268- 13 10.14 16.94 1.70 1.03 14.21 14.46 275~ 16) 7 10.40 15.60 1.58 . 97 13.05 13.62 9 17) 295-9.56 16.16 1.63 1.01 13.52 16.00 16.36 18) 302- 15 10.28 1.64 1.03 13.69 15.51 1.84 19) 328- 15 10.54 17.00 1.04 14.12 15.06 20) 335- 9 9.68 15.94 1.53 .99 13.42 16.24 Statistics Array: Puff-Count=Puffs/Cia TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.17800	16.41500	1.65200	1.00650	13.75650	14.54600			
CONFI. INTER.	.16180	.31098	.06196	01837	.24144	.43703			
Stand. Dev.	.36180	.69536	. 13855	.04107	.53988	.97723			
%C.V.	3.55475	4.23615	8.38673	4.08091	3.92451	6.71822			

Rounded Statistics:

	Puff-Count	ТРМ	Water	Nicotine	Tar	CO
x	10.2 ±0.2	16.4 ±0.3	1.7 ±0.1	1.01 ±0.02	13.8 ±0.2	14.5 ±0.4
Ş	0.4	0.7	0.1	0.04	0.5	1.0
cv	3.6	4.2	8.4	4.1	3.9	6.7

20

Per Cigarette Market Sample Brand Data & Statistics

Marlboro kina size filter hard pack CO TPM Nicotine Tar Row Run-Port Puff-Count Water 8.24 20.20 3.26 1.07 15.87 14.39 1.) 18-2) 35-8.20 20.94 3.49 - 1.08 16.37 14.54 17.47 14.82 46- 18 8.34 23.16 4.56 1.13 3) 15.36 1.11 16.61 4) 69- 17 8.64 21.44 3.72 **5**) 87- 10 8.14 20.82 3.39 1.10 16.33 14.40 8.32 1.06 15.28 61 100- 15 20.92 3.67 16.19 115- 17 8.20 20.70 3.44 1.07 16.19 15.42 7)

5.14

14.64 9) 159- 20 8.30 20.36 2.98 1.06 16.32 .99 13.32 10) 170- 11 8.08 18.86 2.80 15.07 15.29 19.38 15.19 181- 14 8.16 3.20 . 99 11) 1.03 15 73 14 71 12) 186-7 7.96 20.00 3.24 15.74 13.63 13) 222~ 12 8.64 20.04 3.22 1.08 17.35 16.51 14) 239- 17 9.00 22.16 3.65 1.16 1.15 17.26 15.60 265- 19 8.48 22.00 3.59 15) 16.46 14.78 161 272-4 8.82 21.20 3.61 1.13 7.98 20.50 3.44 1.07 15.99 14.35 17) 292-6 14.70 3.71 15.95 18) 321~ 8 8.44 20.70 1.04 357-1.03 15.62 15.08 19) 9 8.36 19.54 2.89 16.52 16.67 20) 360-8.36 20.92 3.14 1.11

23.72

8.70

Statistics Array:

136- 18

81

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

1.12

17.46

15.21

1.07900 16.29200 14.92750 8.36800 20.87800 3.50700 Mean .31247 .35265 .02152 CONFI. INTER. .12378 .53441 .24174 ,78855 .69871 1.19497 .54054 .04811 Stand, Dev. .27678 4,45892 4.28866 5.28252 3.30758 5.72359 15.41308 %C.V.

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	8.4 ±0.1	20.9 ±0.5	3.5 ±0.2	1.08 ±0.02	16.3 ±0.3	14.9 ±0.4
s	0.3	1.2	0.5	0.05	0.7	0.8
cv	3.3	5.7	15.4	4.5	4.3	5.3

26

Page: 122

Per Cicarette

Market Sample Brand Data & Statistics

Marlboro Lights kina size filter hard pack ผกพิ Run-Port Puff-Count TPM CO Water Nicotine Tar .79 1) 16-9 8.36 12.90 1.27 10.84 11.70 12.78 2) 35-8.24 1.30 8 10.70 11.49 .78 45-3) 3 8.20 13.26 1.36 .77 11.13 11.43 4) 62-8 8.24 13.22 1.48 .75 10.99 12.05

89- 20 53 12.70 8.28 13.18 1.40 . 79 10.99 6.3 100 - 168.14 12.04 1.18 .72 10.14 11.99 114- 19 7) 8.60 13.40 1.39 . 83 11.18 12.35 8) 123- 19 7.94 12.96 1.42 .76 10.78 11.89 9) 148- 13 8.04 12.06 1.15 10.15 . 76 11.00 101 173- 11 8.16 12.94 1.35 10.83 .76 12.61 11) 196~ 15 .31 8.20 13.32 1.40 11.11 12.12 12) 201-14 7.90 12.30 1.26 .75 10.29 11.16 13) 232- 7 8.14 12.60 1.26 10.59 . 75 11.68 14) 247- 20 8.40 12.26 1.28 .75 10.23 11.51 15) 262- 11 8.24 13.38 1.58 . 85 10.95 12.06 16) 279- 11 8.52 13.40 1.36 .82 11.22 12.90 17) 293- 13 7.86 .77 12.84 1.29 10.78 12.03 18) 296- 15 8.38 12.88 1.35 .79 10.74 11.88

12.48

12.48

Statistics Array:

332- 15

339- 7

8.10

8.06

19)

20)

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

.76

.73

10.43

10.37

Mean CONFI. INTER.	8.20000 8.8838	12.83400 .20030	1.33750	.77450 .01490	10.72200 .15643	11.90150 .21798			
Stand. Dev.	. 19315	. 44788	.09878	. 03332	. 34979	.48742			
%C.V.	2.35544	3.48977	7.38508	4.30221	3.26237	4.09548			

1.29

1.38

Rounded Statistics:

	Puff-Count .	TPM	Water	Nicotine	Tar	C 0
×	8.2 ±0.1	12.8 ±0.2	1.3 ±0.04	0.77 ±0.01	10.7 ±0.2	11.9 ±0.2
s	0.2	0.4	0.1	0.03	0.3	0.5
cv	2.4	3.5	7.4	4.3	3.3	4.1

PM3000762924

11.68

11.80

Per Cidarette

Market Sample Brand Data & Statistics

Marlboro Lights

king size

filte	r soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	9- 14	8.44	13.44	1.44	.80	11.20	11.90
2)	28- 20	8.34	13.20	1.29	.78	11.13	12.12
3)	50- 16	8.08	12.98	1.25	.78	10.94	11.75
4)	51- 20 .	8.16	13.46	1.45	. 77	11.24	11.80
5)	73- 7	8.36	13.14	1.28	. 78	11.08	11.74
6)	94-8	8.08	12.36	1.18	.72	10.46	11.88
7)	123- 2	8.22	12.74	1.30	.80	10.64	10.98
8.)	124- 11	8.30	13.34	1.33	.81	11.20	11.64
9)	172- 1	8.46	13.84	1.40	.83	11.61	12.08
10)	175- 18	8.34	13.94	1.63	.78	11.53	13.23
11)	206- 9	8.88	13.56	1.55	.75	11.26	12.56
12)	215- 18	8.46	13.44	1.40	.78	11.26	12.68
13)	223- 12	8.52	13.32	1.30	.80	11.22	11.83
14)	244- 16	9.32	15.78	2.45	. 84	12.49	15.45
15)	262- 10	8.24	13.28	1.39	.84	11.05	12.04
16)	287- 20	8.48	13.72	1.54	.81	11.37	11.64
17)	289- 13	8.12	12.18	1.21	.81	10.16	11.27
18)	312- 1	8.66	13.74	1.39	. 82	11.53	11.67
19)	326- 20	8.66	13.10	1.34	. 82	10.94	11.85
20)	329- 11	8.32	13.22	1.35	.78	11.09	12.71

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.42200	13.38900	1.42400	.79500	11.17000	12.14100
CONFI. INTER.	.13203	.32174	.11929	.01334	.21031	.41685
Stand. Dev.	. 29522	.71943	.26674	.02982	.47027	.93211
%C.V.	3.50532	5.37329	18.73192	3.75145	4.21016	7.67734
	ate at at at at the de at at at at at at	de de de de de de de de de	و وال وال وال وال وال وال وال والو والو	de ale ale ale etc ale ale ale ale ale	de the de de de de de de de de de	de

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	8.4 ±0.1	13.4 ±0.3	1.4 ±0.1	0.80 ±0.01	11.2 ±0.2	12.1 ±0.4
s	0.3	0.7	0.3	0.03	0.5	0.9
cv	3.5	5.4	18.7	3.8	4.2	7.7

3 29

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filter hard pack

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
1)	1- 19	9.92	13.04	1.20	.83	11.01	13.95
2)	24 14	10.34	13.14	1.19	.81	11.14	13.27
3)	40-6	9.76	11.96	1.06	.78	10.12	11.89
4)	57- 16	10.02	12.78	1.06	.85	10.87	12.74
5)	74- 4	9.92	11.96	1.04	.82	10.10	13.27
6)	77- 1	10.16	13.06	1.19	. 89	10.98	11.66
7)	130- 1	9.64	12.44	1.23	. 77	10.44	12.67
8)	137- 3	9.96	12.90	1.15	. 78	10.97	12.55
9)	151- 11	10.68	13.16	1.18	.80	11.18	13.61
10)	166- 1	10.00	12.96	1.12	.79	11.05	12.20
11)	195- 6	9.88	13.36	1.27	.83	11.26	12.88
12)	210- 2	10.02	12.88	1.12	. 84	10.92	12.80
13)	230- 20	10.24	12.80	1.19	.82	10.79	12.84
14)	245- 16	10.24	12.82	1.16	.82	10.84	12.11
15)	253- 18	10.54	13.88	1.28	. 88	11.72	13.82
16)	268- 3	10.32	12.76	1.13	.78	10.85	13.09
17)	303- 3	9.58	12.34	1.19	.79	10.36	11 89
18)	322- 10	9.94	12.20	1.09	.78	10.33	11.86
19)	335 13	10.08	13.02	1.16	.82	11.04	13.29
20)	358- 3	10.10	13.32	1.24	. 84	11.24	14.83

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.06700	12.83900	1.16250	.81600	10.86050	12.86100
CONFI. I	NTER. ,12296	.21264	.03022	.01497	.18307	.36416
Stand. D	ev27494	.47548	.06758	.03347	.40936	.81428
%C.V.	2.73108	3.70342	5.81337	4.10128	3.76923	6.33139
水水水水水水水水	*****************	alt	oder tale tale tale tale tale tale tale tale	***	de	An almaha da da da da da da da

Rounded Statistics:

Puff-Count	TPM	Water	Nicotine	. Tar	CO
X 10.1 ±0.1	12.8 ±0.2	1.2 ±0.03	0.82 ±0.01	10.9 ±0.2	12.9 ±0.4
S 0.3	0.5	0.1	0.03	0.4	0.8
CV 2.7	3.7	5.8	4.1	3.8	6.3

30

Per Cigarette

Market Sample Brand Data & Statistics

Marlboro Lights 100's

filter soft pack

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	8- 1	10.22	13.12	1.17	. 82	11.13	12.74
2)	31- 12	10.74	13.40	1.06	. 87	11.47	12.98
3)	45- 17	10.30	12.94	1.09	. 82	11.03	12.21
4)	66- 1	10.18	13.22	1.25	. 79	11.18	12.66
5)	90-4	10.46	13.50	1.20	. 85	11.45	13.88
٤)	105- 13	10.10	13.32	1.18	. 84	11.30	13.82
7)	131- 5	10.38	13.08	1.17	. 83	11.08	13.07
8)	144- 19	10.86	14.58	1.36	. 91	12.31	13.30
9)	163- 20	10.16	12.42	1.15		10.50	12.02
10)	172- 19	10.48	12.96	1.15	.82	10.99	13.18
11)	197- 2	10.14	13.68	1.29	.82	11.57	14.77
12)	200- 3	10.04	13.54	1.19	.88	11.47	12.74
13)	233- 18	9.84	13.66	1.25	. 86	11.55	13.78
14)	234- 15	10.70	13.74	1.42	. 87	11.45	13.72
15)	2 58- 17	10.20	13.36	1.18	. 84	11.34	12.80
16)	275~ 3	9.74	12.88	1.19	.84	10.85	13.17
17)	302- 12	9.66	12.74	1.19	.81	10.74	13.66
18)	323- 5	10.02	12.66	1.13	.81	10.72	12.64
19)	331- 2	10.02	12.74	1.11	.78	10.85	13.09
20)	336- 17	10.38	13.68	1.29	.86	11.53	13.31

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.23100	13.26100	1.20100	.83450	11.22550	13.17700
CONFI. INTER.	.14209	.22128	.03944	.01559	.18231	.28620
Stand. Dev.	.31772	.49479	.08819	.03486	.40766	.63995
%C.V.	3.10547	3.73119	7.34324	4.17788	3.63152	4.85658
alle also also also also also also also also	والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع	والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع	ra alla alla alla alla alla alla alla a	أنباه والمراجع والمراجع والمراجع والمراجع والمراجع	والمراوية والمراكب والمراكب والمراكب والمراكب	والمرافع والمرافع والمرافع والمرافع والمرافع والمرافع

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
Х	10.2 ±0.1	13.3 ±0.2	1.2 ±0.04	0.83 ±0.02	11.2 ±0.2	13.2 ±0.3
s	0.3	0.5	0.1	0.03	0.4	0.6
cv	3.1	3.7	7.3	4.2	3.6	4.9



Per Cigarette

Market Sample Brand Data & Statistics

100 mm

III						:
r menthol	soft pack					
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
10- 16	9.32	11.52	1.03	.76	9.73	12.14
21- 7	8.90	11.40	. 90	. 77	9.73	11.87
42- 18	8.84	11.24	. 92	.76	9.56	11.33
45- 19	8.86	12.48	1.01	.83	10.64	11.54
88- 8	9.16	12.54	1.02	. 85	10.67	12.14
91- 18	9.52	12.42	1.03	.84	10.55	12.25
134- 13	9.24	11.90	. 95	.80	10,15	11.90
137- 15	9.10	11.66	. 89	.78	9.99	11.84
150- 18	9.40	12.06	1.05	.78	10.23	11.99
153- 15	9.34	12.94	1.17	.86	10.91	12.49
184- 13	9.02	11.88	1.05	. 79	10.04	12.62
211- 20	9.12	12.00	1.01	. 77	10.22	11.35
224- 13	9.02	10.94	.90	. 73	9.31	10.52
225- 9	9.04	11.12	. 93	.72	9.47	10.60
255- 4	9.64	12.70	1.06	.80	10.84	11.49
282- 7	9.36	11.18	. 94	.80	9.44	11.22
298- 16	8.88	11.00	. 90	. 75	9.35	11.34
303- 1	9.32	11.46	1.02	.77	9.67	11.51
341- 20	9.36	11.72	. 96	.78	9.98	11.65
352- 6	9.20	11.86	. 97	. 76	10.13	12.09
	r menthol Run-Port 10- 16 21- 7 42- 18 45- 19 88- 8 91- 18 137- 15 150- 18 153- 15 184- 13 211- 20 225- 4 285- 7 298- 16 303- 1	r menthol soft pack Run-Port Puff-Count 10- 16 9.32 21- 7 8.90 42- 18 8.84 45- 19 8.86 88- 8 9.16 91- 18 9.52 134- 13 9.24 137- 15 9.10 150- 18 9.40 153- 15 9.34 184- 13 9.02 211- 20 9.12 224- 13 9.02 211- 20 9.12 224- 13 9.02 255- 4 9.04 282- 7 9.36 303- 1 9.32 341- 20 9.36	The menthol soft pack Run-Port Puff-Count TPM 10-16 9.32 11.52 21-7 8.90 11.40 42-18 8.84 11.24 45-19 8.86 12.48 88-8 9.16 12.54 91-18 9.52 12.42 134-13 9.84 11.90 137-15 9.10 11.66 150-18 9.40 12.06 153-15 9.34 12.94 184-13 9.02 11.88 211-20 9.12 12.00 224-13 9.02 11.88 211-20 9.12 12.00 225-9 9.04 11.12 255-4 9.64 12.70 282-7 9.36 11.18 298-16 8.88 11.00 303-1 9.32 11.46 341-20 9.36 11.72	r menthol soft pack Run-Port Puff-Count TPM Water 10- 16 9.32 11.52 1.03 21- 7 8.90 11.40 .90 42- 18 8.84 11.24 .92 45- 19 8.86 12.48 1.01 88- 8 9.16 12.54 1.02 91- 18 9.52 12.42 1.03 134- 13 9.84 11.90 .95 137- 15 9.10 11.66 .89 150- 18 9.40 12.06 1.05 153- 15 9.34 12.94 1.17 184- 13 9.02 11.88 1.05 211- 20 9.12 12.00 1.01 224- 13 9.02 11.88 1.05 211- 20 9.12 12.00 1.01 225- 9 9.04 11.12 .93 255- 4 9.64 12.70 1.06 282- 7 9.36 11.18 .94 298- 16 8.88 11.00 .90 303- 1 9.32 11.46 1.02 341- 20 9.36 11.72 .96	Run-Port Puff-Count TPM Water Nicotine 10-16 9.32 11.52 1.03 .76 21-7 8.90 11.40 .90 .77 42-18 8.84 11.24 .92 .76 45-19 8.86 12.48 1.01 .83 88-8 9.16 12.54 1.02 .85 91-18 9.52 12.42 1.03 .84 134-13 9.24 11.90 .95 .80 137-15 9.10 11.66 .89 .78 150-18 9.40 12.06 1.05 .78 153-15 9.34 12.94 1.17 .86 184-13 9.02 11.88 1.05 .79 211-20 9.12 12.00 1.01 .77 224-13 9.02 10.94 .90 .73 225-9 9.04 11.12 .93 .72 255-4 9.64 12.70	Run-Port Puff-Count TPM Water Nicotine Tar 10- 16 9.32 11.52 1.03 .76 9.73 21- 7 8.90 11.40 .90 .77 9.73 42- 18 8.84 11.24 .92 .76 9.56 45- 19 8.86 12.48 1.01 .83 10.64 88- 8 9.16 12.54 1.02 .85 10.67 91- 18 9.52 12.42 1.03 .84 10.55 134- 13 9.24 11.90 .95 .80 10.15 137- 15 9.10 11.66 .89 .78 9.99 150- 18 9.40 12.06 1.05 .78 10.23 153- 15 9.34 12.94 1.17 .86 10.91 184- 13 9.02 11.88 1.05 .79 10.04 211- 20 9.12 12.00 1.01 .77 10.22 224- 13 9.02 10.94 .90 .73 9.31 225- 9 9.04 11.12 .93 .72 9.47 255- 4 9.64 12.70 1.06 .80 10.84 282- 7 9.36 11.18 .94 .80 9.44 298- 16 8.88 11.00 .90 .75 9.35 303- 1 9.32 11.46 1.02 .77 9.67 341- 20 9.36 11.72 .96 .78 9.98

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.18200	11.80100	.98550	.78500	10.03050	11.69400
CONFI. INTER.	.10140	.26261	.03213	.01676	.22385	. 24739
Stand. Dev.	. 22673	. 58721	.07185	.03749	.50054	.55319
%G.V.	2.46928	4.97597	7.29105	4.77540	4.99019	4.73051
and the state of	de	and the state of the state of the	to de de de de de de de de de	*****		*******

		Puff-Count	TPM	Water	Nicotine	Tar	CO
]	x	9.2 ±0.1	11.8 ±0.3	1.0 ±0.03	0.78 ±0.02	10.0 ±0.2	11.7 ±0.2
4	S	0.2	0.6	0.1	0.04	0.5	0.6
	CV	2.5	5.0	7.3	4.8	5.0	4.7

332

Per Cigarette

Market Sample Brand Data & Statistics

king size

filter soft pack

filte	r soft pack					•	
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	25- 2	8.46	13.60	1.35	. 76	11.49	11.46
2)	28- 3	8.52	13.76	1.40	. 81	11.55	11.33
3)	58- 6	8.76	13.70	1.38	. 79	11.53	12.51
4)	67- 8	8.80	14.22	1.53	.88	11.81	13.42
5)	82- 6	8.36	13.30	1.22	. 78	11.30	12.82
6)	85- 1	8.78	14.24	1.52	. 81	11.91	12.57
7)	117- 6	8.50	13.50	1.30	. 78	11.42	12.66
8)	120- 2	8.40	13.54	1.37	.82	11.35	12.62
93	147- 6	8.38	12.82	1.23	. 78	10.81	11.56
10)	156- 16	8.74	13.52	1.58	.76	11.18	12.17
11)	185- 13	8.40	12.60	1.16	. 73	10.71	11.07
12)	206- 2	3.40	12.82	1.18	.77	10.87	12.26
13)	217- 3	8.60	14.18	1.44	.83	11.91	13.14
14)	224- 9	8.56	13.48	1.33	. 79	11.36	11.38
15)	259- 1	8.46	13.58	1.41	. 85	11.32	12.48
16)	270- 9	8.82	13.46	1.34	.82	11.30	12.46
17)	306- 11	8.74	12.70	1.19	. 76	10.75	10.90
18)	309~ 8	8.92	12.96	1.33	.78	10.85	11.99
19)	327- 9	8.66	13.46	1.38	. 79	11.29	12.19
20)	346- 11	8.52	13.40	1.36	.78	11.26	12.02

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.58900	13.44200	1.35000	.79350	11.29850	12.15050
CONFI. INTER.	.07805	.21293	.05191	.01551	.16127	.30623
Stand. Bev.	.17453	.47612	.11608	.03468	.36062	.68476
%C.V.	2.03206	3.54204	8.59824	4.37086	3.19173	5.63561

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	8.6 ±0.1	13.4 ±0.2	1.4 ±0.1	0.79 ±0.02	11.3 ±0.2	12.2 ±0.3
s	0.2	0.5	0.1	0.03	0.4	0.7
cv	2.0	3.5	8.6	4.4	3.2	5.6
ada ata ata	and and also also also also also also also also	a mila ala al- alla al- al- al- al- al- al-	ata aka aka aka aka aka aka aka aka aka	de afte afte afte efte afte afte afte aft	ate at an in the selection of the selection of the selection of	-t- et- at- at- at- at- at- at- at- at-

335

Per Cigarette

Market Sample Brand Data & Statistics

king size

filter hard pack

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
	r	5 45	40.00				0.04
1)	5- 7	8.08	10.08	. 95	. 64	8.49	9.84
2)	30- 17	7.88	8.96	.83	. 61	7.52	8.36
3)	62- 2	7.86	10.42	. 98	. 60	8.84	10.68
4)	67- 5	7.72	9.62	. 95	.62	8.05	10.32
5)	75- 4	8.04	9.44	. 27	. 65	7.92	10.20
6)	82- 18	7.98	9.60	.83	. 69	8.08	10.57
7)	133- 10	7.72	9.60	.90	.63	8.07	10.37
8)	134- 8	7.60	9.44	. 88	. 61	7.95	10.82
9)	151- 6	8.38	10.26	. 99	.63	8.54	10.25
10)	168- 3	7.60	9.20	. 85	.57	7.78	9.41
11)	195- 17	7.78	9.54	.90	.61	8.03	9.66
12)	196- 14	7.78	10.24	. 99	. 65	8.60	10.54
13)	235- 12	8.02	10.16	. 96	.63	8.57	10.36
14)	248- 19	8.04	10.16	1.04	. 65	8.47	10.48
15)	276- 5	8.16	9.82	. 95	.68	8.19	10.05
16)	279- 5	8.08	10.16	1.00	.66	8.50	10.31
17)	291- 4	7.82	8.84	. 90	. 59	7.35	9.12
18)	322- 20	8.18	9.70	.98	.60	8.12	10.64
19)	331- 6	7.98	9.58	.86	. 61	8.11	10.19
20)	358- 8	8.04	9.30	. 87	.63	7.80	9.65

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER	7.93700	9.70600	.92400 .02796	.62800 .01335	8.15400	10.09100	
Stand. Dev.	.20285	.44811	.06253	.02984	.38827	.60296	
%C.V.	2.55576	4.61685	6.76686	4.75186	4.76168	5.97519	

Rounded Statistics:

	Puff-Count	MAT	Water	Nicotine	Tar	C0
X	7.9 ±0.1	9.7 ±0.2	0.9 ±0.03	0.63 ±0.01	8.2 ±0.2	10.1 ±0.3
s	0.2	0.4	0.1	0.03	0.4	0.6
cv	2.6	4.6	6.8	4.8	4.8	6.0
ut: +7: +2:	via alle alle alle afte alle alle alle alle alle alle alle al	ele ele ale de de ele ele ele ale ele de de	alle ate ate ate ate ate ate ate ate ate	رية وقد	who also the old the also also also also also also also	*********

39 36

Per Cigarette Market Sample Brand Data & Statistics

Merit

king size

filte	r soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	1- 14	8.46	9.74	.89	, 66	8.19	10.18
2)	22- 14	7.76	9.50	.87	.62	8.01	10.61
3)	55- 7	8.24	9.18	. 79	.59	7.80	9.41
4)	64- 9	8.06	9.60	. 89	. 65	8.06	9.46
5)	93 13	7.92	9.76	.87	. 60	8.29	9.72
6)	100- 11	7.64	9.60	. 92	. 61	8.07	10.34
7)	138- 20	8.12	9.86	. 92	. 61	8.33	10.12
8)	149- 4	8.14	10.24	. 98	. 66	8.60	9.69
9)	150- 16	8.26	9.88	. 94	. 61	8.33	9.62
10)	169- 9	7.92	10.28	1.00	.61	8.67	10.91
11)	181- 17	7.96	9.52	.91	. 59	3.02	9.20
12)	202- 9	8.46	9.42	. 88	.61	7.93	9.59
13)	237- 2	8.10	10.30	.98	. 63	8.69	10.18
14)	248- 12	8.50	9.16	.83	. 58	7.75	9.44
15)	261- 6	8.24	9.82	. 89	. 63	8.30	10.14
16)	266- 19	8.32	11.12	1.18	.70	9.24	11.64
17)	301- 8	8.32	9.08	. 90	. 59	7.59	9.71
18)	320- 18	8.10	9.90	1.00	. 61	8.29	10.91
19)	344- 5	8.06	9.52	. 88	.60	8.04	9.03
20)	355- 13	7.88	9.56	.84	. 61	8.11	10.50

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	8.12300 .10440	9.75200 .21119	.91800 .03709	.61850 .01316	8.21550 .16871	10.02000 .29522	
Stand. Dev.	. 23344	.47224	. 08295	.02943	.37725	.66013	
%C.V.	2.87385	4.84245	9.03549	4.75809	4.59198	6.58810	

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	8.1 ±0.1	9.8 ±0.2	0.9 ±0.04	0.62 ±0.01	8.2 ±0.2	10.0 ±0.3
S	0.2	0.5	0.1	0.03	0.4	0.7
cv	2.9	4.8	9.0	4.8	4.6	6.6

國 37

Page: 135

Per Cigarette

Market Sample Brand Data & Statistics

Merit

king size

filter	menthol	soft	pack	
--------	---------	------	------	--

r menthol	soft pack					
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
5- 20	8.66	9.76	.96	. 60	8.20	10.05
28 - 9	8.0≥	10.00	1.03	.62	8.35	9.17
67- 9	8.32	9.24	.89	.61	7.74	9.73
70- 17	8.62	9.78	. 97	.62	8.19	9.68
75- 12	8.28	9.20	. 75	. 59	7.86	9.84
80- 15	7.80	8.52	. 76	.60	7.16	8.75
127- 18	8.38	9.86	. 94	.61	8.31	10.55
142- 17	8.58	10.56	1.09	. 64	8.83	10.03
170- 7	8.36	9.24	.84	. 56	7.84	9.74
179- 18	8.00	8.96	. 86	. 57	7.53	9.85
209- 15	8.30	9.46	.84	.62	8.00	9.37
214- 2	8.10	9.50	.91	. 58	8.01	10.20
218- 1	8.20	9.32	.87	. 58	7.87	10.01
247- 10	8.10	8.56	. 86	.60	7.10	8.99
258- 13	8.20	8.66	. 78	. 55	7.33	9.26
267- 9	8.10	9.24	. 97	.62	7.65	10.40
291- 8	7.98	8.98	. 92	. 59	7.47	9.55
322- 5	7.88	9.72	. 95	. 60	8.17	10.43
330- 2	8.36	7.98	. 73	.50	6.75	9.78
331- 8	7.80	8.76	. 81	. 55	7.40	9.56
	Run-Port 5- 20 28- 9 67- 9 70- 17 75- 12 80- 15 127- 18 142- 17 170- 7 179- 18 209- 15 214- 2 218- 1 247- 10 258- 13 267- 9 291- 8 320- 2	5-20 8.66 28-9 8.02 67-9 8.32 70-17 8.62 75-12 8.28 80-15 7.80 127-18 8.38 142-17 8.58 170-7 8.36 179-18 8.00 209-15 8.30 214-2 8.10 218-1 8.20 247-10 8.10 258-13 8.20 267-9 8.10 291-8 7.98 322-5 7.88 330-2 8.36	Run-Port Puff-Count TPM 5-20 8.66 9.76 28-9 8.02 10.00 67-9 8.32 9.24 70-17 8.62 9.78 75-12 8.28 9.20 80-15 7.80 8.52 127-18 8.38 9.86 142-17 8.58 10.56 170-7 8.36 9.24 179-18 8.00 8.96 209-15 8.30 9.46 214-2 8.10 9.50 218-1 8.20 9.32 247-10 8.10 8.56 258-13 8.20 8.66 267-9 8.10 9.24 291-8 7.98 8.98 322-5 7.88 9.72 330-2 8.36 7.98	Run-Port Puff-Count TPM Water 5-20 8.66 9.76 .96 28-9 8.02 10.00 1.03 67-9 8.32 9.24 .89 70-17 8.62 9.78 .97 75-12 8.28 9.20 .75 80-15 7.80 8.52 .76 127-18 8.38 9.86 .94 142-17 8.58 10.56 1.09 170-7 8.36 9.24 .84 179-18 8.00 8.96 .86 209-15 8.30 9.46 .84 214-2 8.10 9.50 .91 218-1 8.20 9.32 .87 247-10 8.10 8.56 .86 258-13 8.20 8.66 .78 267-9 8.10 9.24 .97 291-8 7.98 .92 .92 322-5 7.88 9.72 .95 <	Run-Port Puff-Count TPM Water Nicotine 5- 20 8.66 9.76 .96 .60 28- 9 8.02 10.00 1.03 .62 67- 9 8.32 9.24 .89 .61 70- 17 8.62 9.78 .97 .62 75- 12 8.28 9.20 .75 .59 80- 15 7.80 8.52 .76 .60 127- 18 8.38 9.86 .94 .61 142- 17 8.58 10.56 1.09 .64 170- 7 8.36 9.24 .84 .56 179- 18 8.00 8.96 .86 .57 209- 15 8.30 9.46 .84 .62 214- 2 8.10 9.50 .91 .58 218- 1 8.20 9.32 .87 .58 247- 10 8.10 8.56 .86 .60 258- 13 8.20 8.66 <td< td=""><td>Run-Port Puff-Count TPM Water Nicotine Tar 5- 20 8.66 9.76 .96 .60 8.20 28- 9 8.02 10.00 1.03 .62 8.35 67- 9 8.32 9.24 .89 .61 7.74 70- 17 8.62 9.78 .97 .62 8.19 75- 12 8.28 9.20 .75 .59 7.86 80- 15 7.80 8.52 .76 .60 7.16 127- 18 8.38 9.86 .94 .61 8.31 142- 17 8.58 10.56 1.09 .64 8.83 170- 7 8.36 9.24 .84 .56 7.84 179- 18 8.00 8.96 .86 .57 7.53 209- 15 8.30 9.46 .84 .62 8.00 214- 2 8.10 9.50 .91 .58 8.01 218- 1 8.20</td></td<>	Run-Port Puff-Count TPM Water Nicotine Tar 5- 20 8.66 9.76 .96 .60 8.20 28- 9 8.02 10.00 1.03 .62 8.35 67- 9 8.32 9.24 .89 .61 7.74 70- 17 8.62 9.78 .97 .62 8.19 75- 12 8.28 9.20 .75 .59 7.86 80- 15 7.80 8.52 .76 .60 7.16 127- 18 8.38 9.86 .94 .61 8.31 142- 17 8.58 10.56 1.09 .64 8.83 170- 7 8.36 9.24 .84 .56 7.84 179- 18 8.00 8.96 .86 .57 7.53 209- 15 8.30 9.46 .84 .62 8.00 214- 2 8.10 9.50 .91 .58 8.01 218- 1 8.20

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.20200	9.26500	.88650	.59050	7.78800	9.74700
CONFI. INTER.	.11332	.26930	.04258	.01454	. 22372	.21429
Stand, Dev.	. 25339	.60217	.09522	.03252	.50025	.47916
%C.V.	3.08936	6.49937	10.74065	5.50741	6.42332	4.91593

Rounded Statistics:

	Puff-Count	TPM	Water .	Nicotine	Tar	C 0
×	8.2 ±0,1	9.3 ±0.3	0.9 ±0.04	0.59 ±0.01	7.8 ±0.2	9.7 ±0.2
S	0.3	0.6	0.1	0.03	0.5	0.5
CA	3.1	6.5	10.7	5.5	6.4	4.9

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filter soft pack

Lrite	r sort pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
1)	1 3	9.90	11.88	1.09	. 80	9.99	11.81
2)	24- 2	9.92	11.78	1.09	. 77	9.92	12.01
3)	60-11	9.72	12.20	1.09	.82	10.29	11.49
4)	65- 3	9.86	12.46	1.25	. 81	10.40	12.78
5)	99- 15	9.74	10.74	. 93	.71	9.10	11.20
6)	106- 19	10.00	11.92	1.06	. 78	10.08	12.19
7)	131- 4	10.00	11.52	1.04	.78	9.70	11.51
8)	138- 1	9.34	11.32	1.03	.72	9.57	10.61
9)	146- 14	9.70	11.52	1.05	. 77	9.70	12.15
10)	155- 19	9.94	12.04	1.23	.76	10.05	12.22
11)	213- 4	9.78	12.26	1.13	.81	10.32	11.77
12)	214- 1	10.24	12.58	1.17	. 88	10.53	12.08
13)	231- 13	9.22	11.44	1.02	.77	9.65	12.16
14)	232- 11	9.70	11.88	1.05	.80	10.03	11.54
15)	278- 11	9.80	11.44	1.04	.78	9.62	11.49
16)	283- 18	9.72	12.20	1.18	. 87	10.15	12.62
17)	306- 5	9.80	11.30	1.03	. 78	9.49	10.69
18)	315- 19	9.62	11.04	1.06	. 73	9.25	11.44
. 19)	352- 14	9.82	12.00	1.11	.78	10.11	12.71
20)	361- 7	9.40	11,16	. 99	. 73	9.44	12.26

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.76100	11.73400	1.08200	.78250	9.86950	11.83650
CONFI. INTER.	.10605	.22055	.03526	.01957	. 17519	.26816
Stand. Dev.	.23713	.49316	. 07885	.04375	.39174	.59963
%C.V.	2.42936	4.20281	7.28715	5.59165	3.96917	5.06597
******	**********	******	*******	********	*******	*********

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	9.8 ±0.1	11.7 ±0.2	1.1 ±0.04	0.78 ±0.02	9.9 ±0.2	11.8 ±0.3
s	o.2	0.5	0.1	0.04	0.4	0.6
ev	2.4	4.2	7.3	5.6	4.0	5.1

39

Page: 137

Per Cigarette

Market Sample Brand Data & Statistics

Merit 100's

filter menthol soft pack

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
1)	2- 3	10.34	10.80	. 94	. 73	9.13	10.84
2)	11- 4	10.52	11.40	1.03	.72	9.65	10.79
3)	41- 19	10.52	12.04	1.08	.78	10.18	11.08
4)	72- 19	10.80	11.54	1.03	.76	9.75	10.87
5)	91- 4	10.22	11.44	1.06	. 75	9.63	11.23
G)	106- 9	10.12	12.56	1.09	. 79	10.68	12.58
7)	135- 10	9.96	11.66	. 92	. 77	9.97	11.75
8)	142- 19	10.60	12.38	1.21	.78	10.39	12.29
9)	179- 1	10.12	12.80	1.29	. 76	10.75	12.17
10)	203- 15	9.94	12.18	1.12	. 75	10.31	12.26
11)	212- 9	10.24	12.22	1.11	.80	10.31	11.29
12)	217- 8	10.02	11.92	1.11	.74	10.07	11.78
13)	252- 2	10.30	10.46	. 92	.76	8.78	11.03
14)	272- 17	9.98	11.86	1.08	.81	9.97	11.73
15)	279- 16	10.22	12.06	1.11	. 79	10.16	11.85
16)	290- 10	9.98	11.90	1.17	. 81	9.92	11.95
17)	291- 7	10.46	12.40	1.21	. 78	10.41	12.16
18)	326- 17	10.32	12.26	1.12	.80	10.34	11.67
19)	335- 6	10.40	11.08	. 94	. 72	9.42	11.11
20)	362- 4	9.60	11.04	. 93	.67	9.44	11.56

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.23300	11.80000	1.07350	.76350	9.96300	11.59950
CONFI. INTER.	.12499	. 27583	.04696	.01585	. 22743	. 24298
Stand. Dev.	.27949	.61678	.10499	.03543	.50855	.54333
%C.V.	2.73130	5.22697	9.78062	4.64092	5.10438	4.68406
at the steady at at the steady at the steady at the steady at	والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع	أو ماه ملاه ماه ماه ماه ماه ماه ماه ماه ماه	e de	ل منه ماه ماه منه منه ماه ماه منه م	and the standard of the standard of	also de la de de de de de de de la l

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	€0
х	10.2 ±0.1	11.8 ±0.3	1.1 ±0.05	0.76 ±0.02	10.0 ±0.2	11.6 ±0.2
s	0.3	0.6	0.1	0.04	0.5	0.5
C۷	2.7	5.2	9.8	4.6	5.1	4.7

Fage: 138



Per Cidarette

Market Sample Brand Data & Statistics

Merit Ultra Lights

king size

filter	soft	pack
--------	------	------

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	: co
1)	27- 3	8.00	5.76	. 43	. 43	4.90	6.83
2)	28- 15	7,88	5.60	. 41	. 43	4.76	5.40
3)	40- 9	8.42	6.42	. 45	. 49	5.48	6.14
4)	55- 14	7.82	5.62	. 39	. 43	4.80	6.81
5)	82- 4	7.84	6.22	. 49	. 47	5.26	7.13
6)	83- 7	7.56	6.34	. 44	. 48	5.42	7.12
7)	142- 2	8.28	6.12	. 44	. 46	5.22	6.08
8)	143- 4	7.86	6.14	.50	. 45	5.19	6.60
9)	164- 3	8.54	6.52	. 45	. 48	5.59	7.08
10)	167- 16	7.98	5.20	. 32	. 38	4.50	5.91
11)	189- 5	8.24	6.48	. 48	. 48	5.52	6.78
12)	198- 5	7.98	6.44	.50	. 48	5.46	6.92
13)	228- 9	8.44	6.08	. 46	. 46	5.16	6.28
14)	235- 8	8.06	6.22	. 47	. 48	5.27	6.58
15)	283- 10	8.64	7.08	. 54	. 58	5.96	7.79
16)	296- 12	8.02	6.10	. 47	. 47	5.16	6.71
17)	317- 6	7.60	5.56	. 41	. 41	4.74	6.21
18)	320- 12	8.05	5.96	. 45	. 47	5.04	6.47
19)	332- 19	8.02	6.88	.55	. 49	5.84	7.99
20)	341- 4	7.78	6.64	.51	. 48	5.65	7.45

Statistics Array:


Puff-Count=Puffs/Ciq

TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.05100	6.16900	.45800	.46500	5.24600	6.71400
CONFI. INTER.	.13211	.20800	.02365	.01780	.17104	.28109
Stand. Dev.	. 29540	. 46510	. 05288	.03980	.38246	.62854
%C.V.	3.66913	7.53925	11.54481	8.55960	7.29057	9.36169
*************	n de	And the state of the state of the	the state of the state of the state of	be also also also also also also also also		******

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C 0
×	8.1 ±0.1	6.2 ±0.2	0.5 ±0.02	0.46 ±0.02	5.2 ±0.2	6.7 ±0.3
s	0.3	0.5	0.1	0.04	0.4	0.6
Cν	3.7	7.5	11.5	8.6	7.3	9.4



Per Cigarette

Market Sample Brand Data & Statistics

Merit Ultra Lights king size

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	21- 13	8.04	5.88	. 43	. 44	5.01	6.49
2)	32- 7	8.20	5.12	. 35	. 40	4.37	5.09
3)	45- 20	8.76	5.78	. 41	. 42	4.95	6.54
4)	48- 20	8.24	5.44	. 35	. 41	4.68	5.94
5)	97 11	8.34	5.32	. 39	. 40	4.53	5.71
6)	108- 9	පී.16	5.26	. 39	. 39	4.48	5.52
7)	118- 4	8,16	5.88	. 49	. 42	4.97	6.25
8)	125- 20	8.46	5.20	.40	.41	4.39	5.59
9)	148- 5	8.78	5.22	. 47	40	4.35	5.16
10)	175- 8	8.04	5.30	. 44	. 38	4.48	5.83
11)	181- 7	8.66	5.64	. 44	.42	4.78	5.69
12)	204- 18	8.62	6.02	.49	. 44	5.09	6.98
13)	221- 11	8.32	6.00	. 43	. 44	5.13	5.60
14)	224- 14	8.84	5.22	.38	. 41	4.43	5.44
15)	253- 12	8.44	5.88	. 45	.48	4.95	5.97
16)	254- 13	8.10	5.14	. 42	. 39	4.33	5.32
17)	302- 7	8.20	5.06	. 41	. 39	4.26	5.24
18)	321- 2	8.14	4.92	. 46	. 35	4.11	5.35
19)	338- 15	7.92	5.62	. 45	. 42	4.75	5.37
20)	339- 12	8.48	5.90	. 45	. 43	5.02	6.07

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	8.34501 .12194	5.49000 .15922	.42500 .01804	.41200 .01228	4.65300 .14154	5.75750 .22623		
Stand. Dev.	.27268	.35603	.04033	.02745	.31650	.50587		
%C.V.	3.26754	6.48508	9.48885	6.66343	6.80197	8.78627		

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	8.3 ±0.1	5.5 ±0.2	0.4 ±0.02	0.41 ±0.01	4.7 ±0.1	5.8 ±0.2
s	0.3	0.4	0.04	0.03	0.3	0.5
cv	3.3	6.5	១.5	6.7	6.8	8.8

蛋 42

Page: 140

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

soft pa	⊂k					
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
11 11	9.68	6.74	. 49	. 53	5.72	7.09
	9.88	6.28	. 46	.51	5.31	7.20
22- 10						
64- 5	9.80	6.82	. 49	.51	5.82	7.73
69- 13	9.74	6.92	. 44	.54	5.94	7.97
96- 4	9.74	6.14	.41	.50	5.23	7.43
97- 8	9.78	6.54	. 45	. 48	5.61	7.32
132- 6	10.08	6.88	.50	. 53	5.85	7.90
139 1	9.72	6.94	. 58	.50	5.86	7.48
165- 20	9.98	6.78	.50	. 51	S.77	7.55
176- 2	9.54	6.48	. 47	. 48	5.53	7.72
186 19	9.84	7.00	.52	. 53	5.95	7.95
211- 5	9.34	6.74	. 47	. 49	5.78	7.85
228- 1	10.00	6.34	.50	. 48	5.36	6.63
245- 14	9.40	6.52	. 48	. 46	5.58	7.66
260- 7	9.92	6.44	. 44	.56		7.24
281- 9	9.84	6.46	. 48		5.49	7.88
314- 7	10.08	6.84	. 47		5.85	6.97
323- 9	9.56	6.52	. 47	. 49	5.56	7.45
325- 4	9.60	6.56	.51	. 49	5.56	7.37
342- 7	9.42	6.52	. 48	. 47	5.57	7.06
	97- 8 132- 6 139- 1 165- 20 176- 2 186- 19 211- 5 228- 1 245- 14 260- 7 281- 9 314- 7 323- 9	97- 8 9.78 132- 6 10.08 139- 1 9.72 165- 20 9.98 176- 2 9.54 186- 19 9.84 211- 5 9.34 228- 1 10.00 245- 14 9.40 260- 7 9.92 281- 9 9.84 314- 7 10.08 323- 9 9.56 325- 4 9.60	97- 8 9.78 6.54 132- 6 10.08 6.88 139- 1 9.72 6.94 165- 20 9.98 6.78 176- 2 9.54 6.48 186- 19 9.84 7.00 211- 5 9.34 6.74 228- 1 10.00 6.34 245- 14 9.40 6.52 260- 7 9.92 6.44 281- 9 9.84 6.46 314- 7 10.08 6.84 323- 9 9.56 6.52 325- 4 9.60 6.56	97-8 9.78 6.54 .45 132-6 10.08 6.88 .50 139-1 9.72 6.94 .58 165-20 9.98 6.78 .50 176-2 9.54 6.48 .47 186-19 9.84 7.00 .52 211-5 9.34 6.74 .47 228-1 10.00 6.34 .50 245-14 9.40 6.52 .48 260-7 9.92 6.44 .44 281-9 9.84 6.46 .48 314-7 10.08 6.84 .47 323-9 9.56 6.52 .47 325-4 9.60 6.56 .51	97- 8 9.78 6.54 .45 .48 132- 6 10.08 6.88 .50 .53 139- 1 9.72 6.94 .58 .50 165- 20 9.98 6.78 .50 .51 176- 2 9.54 6.48 .47 .48 186- 19 9.84 7.00 .52 .53 211- 5 9.34 6.74 .47 .49 228- 1 10.00 6.34 .50 .48 245- 14 9.40 6.52 .48 .46 260- 7 9.92 6.44 .44 .56 281- 9 9.84 6.46 .48 .49 314- 7 10.08 6.84 .47 .52 323- 9 9.56 6.52 .47 .49 325- 4 9.60 6.56 .51 .49	97- 8 9.78 6.54 .45 .48 5.61 132- 6 10.08 6.88 .50 .53 5.85 139- 1 9.72 6.94 .58 .50 5.86 165- 20 9.98 6.78 .50 .51 5.77 176- 2 9.54 6.48 .47 .48 5.53 186- 19 9.84 7.00 .52 .53 5.95 211- 5 9.34 6.74 .47 .49 5.78 228- 1 10.00 6.34 .50 .48 5.36 245- 14 9.40 6.52 .48 .46 5.88 260- 7 9.92 6.44 .44 .56 5.44 281- 9 9.84 6.46 .48 .49 5.49 314- 7 10.08 6.84 .47 .52 5.85 323- 9 9.56 6.52 .47 .49 5.56 325- 4 9.60 6.56 .51 .49 5.56

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER. Stand. Dev.	9.74700 .09769 .21844	6.62300 .10707 .23941	.48050 .01579 .03531 7.34950	.50350 .01145 .02560 5.08505	5.63900 .09460 .21153 3.75125	7.47250 .16476 .36841 4.93019
XC.V.	2.24112	3.61482	, ,			

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	9.7 ±0.1	6.6 ±0.1	0.5 ±0.02	0.50 ±0.01	5.6 ±0.1	7.5 ±0.2
s	0.2	0.2	0.04	0.03	0.2	0 - 4
CV	2.2	3.6	7.3	5.1	3.8	4.9

43

Per Cigarette Market Sample Brand Data & Statistics

Merit Ultra Lights 100's

ivv m	t M	•						
filte	r menthol	soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
1)	16- 18	9.78	5.84	. 47	. 45	4.92	7.02	
2)	19- 3	10.28	5.84	. 38	. 47	4.99	6.98	
3)	38- 16	10.30	6.58	. 47	.50	5.61	7.25	
4)	65- 12	10.46	6.60	. 61	.50	5.49	7.47	
5)	95~ 20	10.08	6.96	. 51	.52	5.93	8.05	
6)	102- 6	9.70	6.02	. 45	. 44	5.13	7.06	
7)	126- 2	10.72	6.02	. 44	. 47	5.11	7.30	
8)	139- 3	9.58	7.36	. 64	. 56	6.16	7.18	
9)	165- 7	10.30	6.80	. 47	.51	5.82	7.52	
10)	178- 6	10.22	6.30	. 45	. 46	5.39	7.60	
11)	184- 16	9.76	5.88	. 44	.46	4.98	7.32	
12)	201- 11	9.78	6.70	.53	.52	5.65	7.27	
13)	229- 5	10.80	6.22	. 46	. 47	5.29	6.83	
14)	240- 12	10.26	6.02	. 41	. 49	5.12	7.33	
15)	275- 6	9.60	6.34	.50	.51	5.33	7.15	
16)	280- 18	10.72	6.38	. 49	. 47	5.42	7.69	
17)	289- 8	. 10.20	6.52	. 51	. 53	5.48	7.45	
18)	312- 6	10.34	6.56	. 55	. 48	5.53	7.40	
19)	337- 10	10.32	6.58	. 47	. 49	5.62	8.21	
20)	340- 18	10.14	6.24	.54	. 48	5.22	7.74	


Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	10.16700	6.38800	.48950 .02804	.48900 .01337	5.40950 .14796	7.39100 .15463
Stand. Dev.	.36777	.39934	.06270	.02989	.33084	.34575
%C.V.	3.61727	6.25135	12.80903	6.11340	6.11598	4.67805
************	******	*******	本水水水水水水水水水	2 宋 宋 宋 宋 宋 宋 宋 宋 宋	卡雷洛尔洛米米洛洛米米	8 客客客客客客客客字:

Rounded Statistics:

Puff-Count	TPM	Water	Nicotine	Tar	C 0
X 10.2 ±0.2	6.4 ±0.2	0.5 ±0.03	0.49 ±0.01	5.4 ±0.1	7.4 ±0.2
S 0.4	0.4	0.1	0.03	0.3	0.3
CV 3.6	6.3	12.8	6.1	6.1	4.7



Per Cigarette Market Sample Brand Data & Statistics

Parliament Lights

king size

filte	r hard pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1.1	4 *** 4 .4	~	11 07	1 00	6.0	0.70	9.30
1)	13- 14	7.60	11.06	1.08	.68	9.30	· -
2)	20 10	7.08	9.90	. 89	. 66	8.35	9.35
3)	56- 9	7.74	11.68	1.17	. 73	9.78	9.82
4)	69- 18	7.36	10.16	. 94	. 65	8.57	10.18
5)	77- 17	7.38	10.50	. 96	. 69	8.85	9.38
6)	96-10	7.60	10.18	. 91	.68	8.59	9.14
7)	121- 6	7.46	10.48	1.02	.67	8.79	9.00
8)	154- 9	7.80	12.14	1.57	.67	9.90	9.90
9)	166 6	7.64	10.44	1.09	67	8.68	10.42
10)	175- 12	7.28	10.88	1.06	. 67	9.15	10.42
11)	181- 1	7.74	11.34	1.20	.67	9.47	9.38
12)	182- 7	7.82	11.30	1.19	. 69	9.42	9.96
13)	219- 20	7.40	11.46	1.19	. 68	9.59	10.40
14)	238- 13	7.46	10.94	1.04	, 70	9.20	9.75
15)	254- 4	7.48	11.00	1.06	. 68	9.26	10.09
16)	267- 20	7.70	10.70	1.06	.69	8.95	9.38
17)	307- 7	8.02	11.36	1.10	.71	9.55	9.76
18)	310- 11	7.40	11.08	1.11	. 69	9.28	9.06
19)	327- 11	7.76	11.40	1.11	. 6 9	9.60	10.35
20)	336- 5	7.20	9.66	. 92	. 59	8.15	8.76


Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	7.54600	10.88300	1.08350	.67800	9.12150	9.69000
CONFI. INTER.	.10540	.28155	.06648	.01219	.21762	.23270
Stand. Dev.	. 23567	.62956	.14865	.02726	. 48661	.52034
%C.V.	3.12313	5.78482	13.71968	4.02079	5.33479	5.36991
水水水水水水水水水水水水水水水水	水本水水水水水水水;	******	****	1.水水水水水水水水	******	*********

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C O
x	7.5 ±0.1	10.9 ±0.3	1.1 ±0.1	0.68 ±0.01	9.1 ±0.2	9.7 ±0.2
s	0.2	0.6	0.1	0.03	0.5	0.5
ÇV	3.1	5.8	13.7	4.0	5.3	5.4



Per Cigarette

Market Sample Brand Data & Statistics

************************* Parliament Lights kino size filter soft pack Run-Port Puff-Count TPM Water Nicotine Tar CO Raw 1.16 . 74 9.96 11.03 6- 7 8.22 11.86 1) . 86 8.82 31 - 167.98 10.50 . 69 8.95 2) 7.92 60- 17 7.88 9.08 .74 . 61 7.73 3) .66 65~ 18 8.12 10.56 1.04 8.86 9.95 4) 10.71 87- 5 7.84 1.10 .75 9.71 5) 11.56 98- 16 . 69 10 30 7.94 10.62 .97 8 96 6) 124- 20 .72 9.62 10.41 8.16 11.38 1.04 7) 129- 17 7.68 12.02 1.16 .72 10.14 11.72 8) 9) 163- 17 8.40 11.32 .71 9.49 10.86 1.12 8.74 10.44 10) 178- 12 7.60 10.22 .86 . 62 11) 183-7 8.16 12.36 1.33 . 73 10.30 10.95 .96 .65 8.91 9.98 12) 216- 11 7.50 10.52 133 233- 20 8.08 10.90 1.00 .68 9.22 10.59 14) 238- 17 8.20 10.88 1.14 .67 9.07 10.41 15) 269- 11 8.18 11.42 1.02 . 71 9.69 10.69 16) 284- 2 8.06 10.80 .98 .70 9.12 10.16 74 10.09 10.98 17) 294- 19 8.44 12.16 1.33 18) 303- 6 8.26 10.96 1.05 .72 9.19 9.89 360- 19 11.40 9.65 19) 8.26 1.02 . 73 10.49 9.27 11.11 361- 15 20) 7.74 10.94 . 98 . 69

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.03500	11.07300	1.04300	.69650	9.33350	
CONFI. INTER.	.11629	.33948	.06429	.01743	.26737	
Stand. Dev.	.26003	.75909	.14375	.03897	.59785	.82895
%C.V.	253622	6.8535	13.78240	5.59516	6.40542	7.99337

	Puff-Count	TPM	Water	Nicotine	Tar	C0 .
х	8.0 ±0.1	11.1 ±0.3	1.0 ±0.1	0.70 ±0.02	9.3 ±0.3	10.4 ±0.4
Ş	0,3	0.8	0.1	0.04	0.6	0.8
cv	3.2	6.9	13.8	5 .6	6.4	8.0
***	**********	*****	*********	********	*****	******

Per Cigarette

Market Sample Brand Data & Statistics

Parliament Lights 100's

100 m	un						
filte	r soft pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	2- 8	10.12	14.08	1.23	. 95	11.90	13.17
2)	13- 15	9.90	14.78	1.41	.96	12.41	13.78
3)	56- 13	9.90	14.70	1.38	. 99	12.33	11.61
4)	69- 2	9.92	14.72	1.36	. 29	12.47	
5)	78- 17	9.94	15.70	1.56	1.01	13,13	13.30
6)	99 18	10,00	15.22	1.38	.97	12.87	12.25
7)	121- 17	10.22	15.34	1.61	. 95	12.78	14.18
٤)	142- 6	10.00	15.46	1.57	.98	12.91	13.68
9)	146- 18	10.12	15.36	1.59	. 96	12.81	14.00
10)	157- 13	9.56	14.34	1.34	.90	12.10	12.30
11)	185- 16	9.76	14.78	1.29	. 94	12.55	12.24
12)	188- 8	9.80	13.60	1.19	.90	11.51	13.87
13)	222- 20	10.40	15.00	1.54	. 96	12.50	12.75
14)	227- 10	9.92	15.48	1.54	.99	12.95	12.97
15)	260- 1	10.40	15.40	1.48	· . 9 9	12.93	14.57
16)	277- 19	9.88	15.14	1.49	. 99	12.66	12.09
17)	302- 2	10.16	13.10	1.28	.87	10.95	12.40
18)	309- 4	10.68	15.28	1.54	. 99	12.75	13.13
19)	328- 1	9.78	14.26	1.44	. 93	11.89	12.65
20)	333- 10	9.86	14.14	1.36	.92	11.86	12.60

Statistics Array:

Puff-Count=Puffs/Ciq TPM, Water, Nicotine, TAR & CO=Mg per Ciq

Mean	10.01600	14.79400	1.42900	.95200	12.41300	13.10000
CONFI. INTER.	.11653	.30846	.05619	.01763	.24974	.38180
Stand. Dev.	.26057	.68975	.12565	.03942	.55844	. 85374
%C.V.	2.60158	4.66234	8.79300	4.14042	4.49882	6.51711
ata ala ala ata ata ata ata ata ata ata	ale ale are are ale ale ale ale ale ale ale ale ale al	والمالية والمراجع والمراجع والمراجع والمراجع	la ala ela esa ele ele ele ele ele ele esta esta esta	and the second rate also see also also see	والأوارات بالرابات بالرابات بالمراب بالراب	وأخر والمراولة وقد والمراولة والراولة ومراولة

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C 0
Х	10.0 ±0.1	14.8 ±0.3	1.4 ±0.1	0.95 ±0.02	12.4 ±0.2	13.1 ±0.4
s	0.3	0.7	0.1	0.04	0.6	0.9
cv	2.6	4.7	8.8	4.1	4.5	6 . 5

PM3000762941

47

Per Cigarette

Market Sample Brand Data & Statistics

regular size

non-filter soft pack

non-r	liter sort	раск					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	29- 13	7.72	28.10	4.15	1.31	22.64	13.45
2)	32- 11	7.34	26.10	3.57	1.28	21.25	11.97
3)	42- 4	7.48	28.96	4.40	1.39	23.17	13.52
4)	47- 7	7.26	27.94	3.73	1.29	22.72	12.36
5)	73- 20	7.85	26.82	3.75	1.32	21.75	12.00
6)	94- 2	7.60	27.00	3.88	1.29	21.83	13.43
7)	111- 6	7.72	28.82	4.30	1.35	23.17	13.74
8)	142- 7	7.94	31.12	5.46	1.38	24.28	14.21
9)	162- 19	8.06	29.98	4.70	. 1.40	23.88	13.57
10)	165- 14	7.68	28.46	3.90	1.37	23.19	13.95
11)	193- 17	7.86	27.96	3.79	1.36	22.81	13.39
12)	208- 10	8.42	29.44	4.27	1.34	23.83	13.78
13)	234- 6	7.64	28.12	4.08	1.31	22.73	13.46
14)	247- 12	7.62	26.16	4.04	1.32	20.80	13.34
15)	269- 3	8.20	28.22	3.88	1.37	22.97	13.91
16)	274- 8	7.80	27.28	3.84	1.31	22.13	12.76
17)	301- 4	7.84	27.00	3.93	1.31	21.76	12.90
18)	324- 16	7.98	26.82	3.66	1.31	21.85	12.71
19)	350- 12	7.86	27.52	3.66	1.36	22.50	13.41
20)	359- 3	7.18	29.92	4.63	1.38	23.91	14.10

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mq per Ciq

Mean	7.75300	28.08701	4.08100	1.33750	22.66850	13.29800
CONFI. INTER.	.13562	.59539	.20276	.01647	.42018	.29086
Stand. Dev.	.30326	1.33133	.45338	.03683	.93956	.65038
%C.V.	3.91158	4.74001	11.10962	2.75378	4.14478	4.89082
The state of the s	and the state of the state of the state of	and a section of the section of	alle de de de de la	rate at an ar ar at at at at	****	the decide of the decide of the decide of

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	Co
×	7.8 ±0,1	28.1 ±0.6	4.1 ±0.2	1.34 ±0.02	22.7 ±0.4	13.3 ±0.3
s	υ.3	1.3	0.5	0.04	0.9	0.7
cv	3.9	4.7	11.1	2.8	4.1	4.9

49

Per Cigarette

Market Sample Brand Data & Statistics

Philip Morris Blues

king size

filter menthol soft pack

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	5- 12	8.10	23.84	5.16	1.22	17.46	16.10
2)	34- 14	7.32	21.30	4.00	1.12	16.18	15.75
3)	60- 19	7.86	25.14	5.63	1.28	18.23	16.49
4)	71- 6	7.68	22.28	4.30	1.20	16.78	16.42
5)	82- 2	7.30	21.22	3.67	1.11	16.44	16.00
6)	93- 10	7.50	21.34	3.79	1.13	16.42	15.53
7)	126- 15	7.56	22.04	3.99	1.22	16.83	14.99
8)	131- 1	7.58	22.28	4.21	1.15	16.92	16.05
9)	153- 13	7.82	22.96	4.71	1.19	17.06	16.77
10)	162- 20	7.66	22.96	4.40	1.14	17.42	16.85
11)	187- 1	7.84	22.44	4.40	1.20	16.84	15.39
12)	204- 5	7.42	24.72	5.40	1.19	18.13	17.07
13)	218- 2	7.46	21.02	3.70	1.11	16.21	15.62
14)	233- 5	7.50	21.84	3.93	1.16	16.75	16.49
15)	264- 15	7.82	22.12	4.22	1.16	16.74	16.66
16)	281- 15	7.48	23.40	4.64	1.24	17.52	16.08
17)	303- 19	7.72	22.78	4,69	1.21	16.88	16.37
18)	316- 9	7.92	23.10	4.74	1.20	17.16	15.69
19)	332- 8	7.96	21.98	4.09	1.16	16.73	15.19
20)	335- 11	7.36	20.00	2.73	1.12	16.15	15.16

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	7.64300	22.43800	4.32000	1.17550	16.94250	16.03350
CONFI. INTER.	.10290	.55550	. 29421	.02100	.25970	.27074
Stand. Dev.	.23008	1.24214	.65788	.04696	.58070	.60540
%C.V.	3.01037	5.53586	15.22878	3.99468	3.42746	3. 7 7584
ale	and the standard and the standard standards.	alle all also also also also also also also	And the standards are the standards and	to the standards also stander at the standards.		alle de etc. alle alle etc. etc. etc. etc. etc.

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	7.6 ±0.1	22.4 ±0.6	4.3 ±0.3	1.18 ±0.02	16.9 ±0.3	16.0 ±0.3
S	0.2	1.2	0.7	0.05	0.6	0.6
cv	3.0	5.5	15.2	4.0	3.4	3.8



Per Cigarette Market Sample Brand Data & Statistics

Philip Morris Blues

100 mm

filter	menthol	SOFT	pack
1 4 4 6 6 1	W C 11 C 11 C 1	2016	P (22 P P)

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1.)	30- 1	8.26	18.40	2.14	1.16	15.10	14.52
2)	33- 13	8.72	18.44	2.13	1.15	15.16	14.55
3)	48- 13	8.40	18.54	1,94	1.18	15.42	14.71
4)	67- 2	8.64	19.46	2.22	1.15	16.09	16.08
5)	87- 13 ·	8.72	19.32	2.24	1.23	15.85	15.93
6)	92- 19	8.78	19.46	2.69	1.15	15.62	16.46
7)	124- 15	8.44	17.84	2.11	1.09	14.64	14.72
8)	143- 11	8.52	17.86	1.96	1.12	14.78	15.31
9)	156- 12	8.72	19.14	2.36	1.17	15.61	15.42
10)	167- 1	8.82	18.40	2.19	1.10	15.11	15.69
11)	201~ 13	8.00	18.20	2.13	1.13	14.94	14.64
12)	216- 17	8.36	19.70	2.85	1.13	15.72	16.30
13)	219- 2	8.26	18.92	2.37	1.12	15.43	16.07
14)	222- 19	9.06	20.04	2.83	1.23	15.98	14.97
15)	255- 14	8.38	19.20	2.61	1.15	15.44	15.56
16)	282- 1	8.86	20.50	2.78	1.24	16.48	17.53
17)	310- 20	8.44	19.20	2.28	1.18	15.74	15.81
18)	321- 10	8.30	17.78	1.99	1.13	14.66	14.63
19)	336- 20	8.24	18.84	2.28	1.12	15.44	15.95
20)	347- 4	8.72	19.56	2.55	1.16	15.85	16.46


Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.53200	18.94001	2.33250	1.15450	15.45300	15.56550
CONFI. INTER.	.11882	. 33622	.12960	.01861	.21994	.36445
Stand, Dev.	. 26568	. 75181	.28979	.04161	.49181	.81493
%C.V.	3.11391	3.96944	12.42397	3.60408	3.18260	5.23549

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C0 .
X	8.5 ±0.1	18.9 ±0.3	2.3 ±0.1	1.15 ±0.02	15.5 ±0.2	15.6 ±0.4
\$	0.3	0.8	0.3	0.04	0.5	0.8
cv	3.1	4.0	12.4	3.6	3.2	5.2



Per Cigarette Market Sample Brand Data & Statistics

P	1	aye	r	5	
k	í	nα	s	i	ZΘ

	king	size						
filter hard pack								
	Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
	1)	10 6	7.82	13.36	1.46	.78	11.12	12.32
		12- 6						
	2)	13- 20	8.12	13.86	1.53	. 82	11.51	11.71
	3)	44- 11	8.38	13.68	1.37	. 84	11.47	10.51
	4)	67- 13	8.22	13.02	1.29	.77	10.96	11.26
	5)	96- 17	7.86	12.94	1.30	. 77	10.87	11.79
	6)	101- 15	7.76	13.94	1.39	. 81	11.74	12.24
	7)	122- 3	8.08	14.16	1.52	.84	11.80	12.37
	8)	129- 13	7.90	14.24	1.48	. 80	11.96	12.75
	9)	150- 1	8.12	14.18	1.53	. 83	11.82	11.67
	10)	177- 2	7.82	14.78	1.84	. 78	12.16	12.87
	11)	193- 9	7.94	13.70	1.53	. 77	11.40	12.16
	12)	194- 12	8.14	14.60	1.60	. 89	12.11	12.21
	13)	234- 5	9.20	16.06	2.58	. 82	12.66	13.64
	14)	237- 12	8.08	14.05	1.56	.84	11.66	12.40
	15)	273- 9	8.00	13.68	1.46	. 78	11.44	12.08
	16)	280- 5	8.30	14.50	1.67	.84	11.99	12.82
	17)	296- 13	8.20	13.00	1.26	.80	10.94	10.22
	18)	317- 19	7.92	13.30	1.31	. 79	11.20	11.72
	19)	352- 11	8.52	14.52	1.66	. 83	12.03	12.49
	20)	357- 14	8.08	13.88	1.40	.83	11.65	12.58

Statistics Array:

20) 357- 14

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.12300	13.97300	1.53700	.81150	11.62450	12.09050
CONFI. INTER.	.14365	.32692	.12758	.01431	.20838	. 35361
Stand, Dev.	.32120	.73101	. 28527	.03200	46595	.79069
%C.V.	3.95421	5.23156	18.56030	3.94322	4.00835	6.53978
ally ally also also also also also also also also	ale alle alle ale ale alle alle alle al	alle also also also also also also also also	e als	de alle alle alle alle alle elle elle el	ماله داره ما ماه ماه داره من منه داره داره	***

Rounded Statistics:

	Puff-Count	ТРМ	Water	Nicotine	Tar	CO
x	8.1 ±0.1	14.0 ±0.3	1.5 ±0.1	0.81 ±0.01	11.6 ±0.2	12.1 ±0.4
S	0.3	0.7	0.3	0.03	0.5	0.8
cν	4.0	5.2	18.6	3.9	4.0	6.5



Per Cigarette

Market Sample Brand Data & Statistics

P	1	ay	6	r	\$		
k	i	ng	1	5	i	Z	e

V T 1103	212E						
filte	r menthol	hard pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	10- 20	8,40	14.50	1.68	.83	11.99	12.42
2)	31 13	8.32	14.40	1.45	.81	12.14	12.05
3)	62- 7	8.48	14.28	1.83	.78	11.67	11.41
4)	67- 15	8.32	13.90	1.43	. 79	11.68	11.70
5)	79- 14	7.78	14.24	1.50	.78	11.96	12.49
6)	96- 13	7.88	13.76	1.46	.81	11.49	12.15
7)	114- 8	7.76	13.44	1.50	.74	11.20	12.43
8)	121- 19	8.06	13.88	1.54	.82	11.52	11.60
9)	165- 12	8.80	15.12	1.81	. 80	12.51	12.73
10)	180- 17	8.20	14.84	1.72	. 82	12.30	13.34
11)	191- 2	8.12	14.76	1.55	.82	12.39	12.25
12)	208- 18	8.32	14.26	1.58	. 83	11.85	12.71
13)	232- 3	8.54	13.44	1.40	.78	11.26	12.02
14)	249- Z	8,28	13.92	1.50	.87	11.55	11.87
15)	261- 20	8.14	14.10	1.46	. 83	11.81	12.29
16)	274- 13	8.56	14.52	1.61	.84	12.07	12.12
17)	312- 2	8.90	13.74	1.47	. 79	11.48	11.92
18)	315- 9	8.08	13.52	1.51	. 75	11.26	11.70
19)	328- 5	8.72	16.14	2.14	. 85	13.15	12.16
20)	349- 13	8.56	14.78	1.62	.84	12.32	13.20

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER. Stand. Dev.	8.31100 .14265 .31898	14.27700 .29197 .65287	1.58800 .07941 .17757	.80900 .01472 .03291	11.88000 .22085 .49385	12.22800 .22379 .50041 4.09230			
%C.V.	3.83801	4.57290	11.18226	4.06816	4.15695	4.09230			
水港水水市水市市市市市市市市市市市市市市市市市市市市市市市市市市市市市市市市市									

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO,
X	8.3 ±0.1	14.3 ±0.3	1.6 ±0.1	0.81 ±0.01	11.9 ±0.2	12.2 ±0.2
s	0.3	0.7	0.2	0.03	0.5	0.5
сv	3.8	4.6	11.2	4.1	4.2	4.1



Per Cigarette

Market Sample Brand Data & Statistics

Tilte	r naro pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	4- 5	9.76	17.00	1.75	1.02	14.23	13.03
2)	35- 11	9.18	17.36	1.88	. 99	14.49	13.38
3)	55- 4	9.80	16.46	1.64	. 95	13.87	13.15
4)	66- 6	9.26	15.92	1.61	1.02	13,29	12.71
5)	89- 7	9.52	16.68	1.68	. 99	14.01	11.80
6)	102- 3	8.96	16.06	1.51	. 94	13.61	13.37
7)	115- 12	9.32	17.28	1.85	. 99	14.44	12.96
8)	140- 13	9.54	16.04	1.55	. 97	13.52	12.35
9)	156- 18	9.86	16.58	1.86	1.00	13.72	12.27
10)	169~ 18	9.08	16.02	1.63	. 94	13.45	12.82
11)	184- 14	8.82	16.80	1.71	. 96	14.13	13.46
12)	205- 16	9.32	17.00	1.66	.98	14.36	13.80
13)	221- 19	9.26	16.26	1.62	. 9 9	13.65	10.96
14)	252- 7	9.28	16.46	1.84	.93	13.69	12.49
15)	254- 17	9.46	16.62	1.60	. 99	14.03	12.76
16)	277- 2	9.40	15.96	1.58	. 94	13.44	12.47
17)	304- 7	9.40	17.50	1.79	1.04	14.67	12.84
18)	319- 16	9.28	16.96	1.68	1.01	14.27	12.83
19)	341- 15	9.24	16.72	1.65	1.00	14.07	13.65
20)	360- 4	9.72	17.02	1.65	1.03	14.34	13.87

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.37300	16.63500	1.68700	.98400	13.96400	12.84850
CONFI. INTER.	.12199	.21720	.04821	.01447	.17968	.31128
Stand. Dev.	. 27278	.48566	.10781	.03235	.40178	.69604
%C.V.	2.91033	2.91952	6.39039	3.28728	2.87724	5.41726
all the state of the state of the state of the state of	to atomic districts of outside the site of outside of	de	de alle alle ade ade alle alle alle alle	de são são são são são são são são são	ato the the cholate the the about	all als als als als als als als als als

	Puff-Count	TPM	Water	Nicotine,	Tar	C0
x	9.4 ±0.1	16.6 ±0.2	1.7 ±0.05	0.98 ±0.01	14.0 ±0.2	12.8 ±0.3
s	0.3	0.5	0.1	0.03	0.4	0.7
cv	2.9	2.9	6.4	3.3	2.9	5.4



Per Cigarette

Market Sample Brand Data & Statistics

•	-	_	,	-	•	_	•	•	_	_
1	0	0		m	Ħ					

3 O O B	1 211						
filt€	er menthol	hard pack					1
Row		Puff-Count	TPM	Water	Nicotine	Tar	60
1)	2- 5	9.44	15.94	1.49	. 9 9	13.46	11.68
2)	35- 14	9.16	17.84	1.93	1.05	14.86	13.64
3)	46- 15	9.16	16.56	1.55	. 9 8	14.03	12.00
4)	51- 18	9.40	16.80	1.92	.94	13.94	11.44
5)	75- 17	9.26 ·	16.26	1.53	. 97	13.76	12.63
&)	104- 4	9.16	16.44	1.71	. 94	13.79	13.27
7)	135- 17	8.82	17.02	1.80	.92	14.30	14.10
8)	136- 7	9.40	17.08	1.75	1.01	14.32	12.62
-9)	145- 19	9.16	16.52	1.71	. 99	13.82	13.02
10)	174- 14	9.48	18.82	2.19	1.04	15.59	14.92
11)	190- 19	9.40	17.62	1.88	1.03	14.71	13.51
12)	211- 18	9.28	18.00	1.92	1.02	15.06	13.37
13)	225- 3	9.50	17.86	2.10	1.00	14.76	11.98
14)	240- 13	9.38	16.22	1.64	1.00	13.58	12.26
15)	274- 3	9.26	16.90	1.78	. 95	14.17	12.86
16)	279- 18	9.62	17.18	1.73	1.04	14.41	12.84
17)	314- 19	9.84	18.14	1.98	1.07	15.09	13.10
18)	321- 13	9.38	15.82	1.65	. 92	13.25	11.91
19)	327- 3	9.52	19.52	2.41	1.07	16.04	14.23
20)	346- 4	9.22	17.60	1.86	1 8 6	14 74	14 26

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	9.34200 .09519	17.20700 .43279	1.82650 .10218	.99650 .02069	14.38400 .32411	12.98200 .42499
Stand. Dev.	. 21284	.96774	. 22848	.04626	.72474	.95032
%C.V.	2.27832	5.62409	12.50914	4.64197	5.03851	7.32026
*****************	*********	****	表表表表表表表表表表	k sak sak sak sak sak sak sak sak	ele	the state of the state of the

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	9.3 ±0.1	17.2 ±0.4	1.8 ±0.1	1.00 ±0.02	14.4 ±0.3	13.0 ±0.4
S	0.2	1.0	0.2	0.05	0.7	1 0
C۷	2.3	5.6	12.5	4.6	5.0	7.3



Per Cigarette

Market Sample Brand Data & Statistics

Players Lights 25's king size

r soft pack							
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
11 1 3	6 EA	12 76	4 27	· ••• ••-	10.70	11 10	
		11.80	1.15	. 70	9.95		
49- 17	7.94	12.34	1.19	. 73	10.42	10.52	
52- 19	8.44	12.48	1.35	. 73	10.40	11.00	
76- 16	8.36	12.58	1.13	. 78	10.65	12.27	
77- 7	8.06	11.98	1.21	.76	10.01	10.93	
129- 11	8.66	12.24	1.22	.72	10.30	11.08	
149- 11	8.34	12.96	1.27	. 73	10.96	12.13	
150- 6	8.68	12.54	1.36	75	10.43	11.15	
182- 13	7.86	12.52	1.23	.74	10.55	11.83	
186- B	7.58	10.78	1.03	.70	9.05	10.35	
191- 10	7.82	11.60	1.07	. 66	9.87	10.96	
234- 4	8.22	12.70	1.31	.72	10.67	11.90	
251- 15	7.84	11.60	1.06	. 69	9.85	11.72	
254- 10	7.92	12.12	1.14	.70 .	10.28	12.06	
287- 13	7.84	10.94	1.03	.70	9.21	10.36	
323- 13	8.22	11.96	1.15	.71	10.10	11.63	
324- 11	8.40	12.46		. 75	10.54	10.67	
325- 16	8.04	11.48	1.08	.71	9.69	10.70	
350- 10	8.16	11.58	1.17	. 71	9.70	11.19	
	76- 16 77- 7 129- 11 149- 11 150- 6 182- 13 186- 8 191- 10 234- 4 251- 15 254- 10 287- 13 323- 13 324- 11 325- 16	Run-Port Puff-Count 11-12 8.50 24-6 7.86 49-17 7.94 52-19 8.44 76-16 8.36 77-7 8.06 129-11 8.66 149-11 8.34 150-6 8.68 182-13 7.86 186-8 7.58 191-10 7.82 234-4 8.22 251-15 7.84 254-10 7.92 287-13 7.84 323-13 8.22 324-11 8.40 325-16 8.04	Run-Port Puff-Count TPM 11-12 8.50 12.36 24-6 7.86 11.80 49-17 7.94 12.34 52-19 8.44 12.48 76-16 8.36 12.56 77-7 8.06 11.98 129-11 8.66 12.24 149-11 8.34 12.96 150-6 8.68 12.54 182-13 7.86 12.52 186-8 7.58 10.78 191-10 7.82 11.60 234-4 8.22 12.70 251-15 7.84 11.60 254-10 7.92 12.12 287-13 7.84 10.94 323-13 8.22 11.96 324-11 8.40 12.46 325-16 8.04 11.48	Run-Port Puff-Count TPM Water 11-12 8.50 12.36 1.23 24-6 7.86 11.80 1.15 49-17 7.94 12.34 1.19 52-19 8.44 12.48 1.35 76-16 8.36 12.56 1.13 77-7 8.06 11.98 1.21 129-11 8.66 12.24 1.22 149-11 8.34 12.96 1.27 150-6 8.68 12.54 1.36 182-13 7.86 12.52 1.23 186-8 7.58 10.78 1.03 191-10 7.82 11.60 1.07 234-4 8.22 12.70 1.31 251-15 7.84 11.60 1.06 254-10 7.92 12.12 1.14 287-13 7.84 10.94 1.03 323-13 8.22 11.96 1.15 324-11 8.40 1	Run-Port Puff-Count TPM Water Nicotine 11- 12 8.50 12.36 1.23 .75 24- 6 7.86 11.80 1.15 .70 49- 17 7.94 12.34 1.19 .73 52- 19 8.44 12.48 1.35 .73 76- 16 8.36 12.56 1.13 .78 77- 7 8.06 11.98 1.21 .76 129- 11 8.66 12.24 1.22 .72 149- 11 8.34 12.96 1.27 .73 150- 6 8.68 12.54 1.36 .75 182- 13 7.86 12.52 1.23 .74 186- 8 7.58 10.78 1.03 .70 191- 10 7.82 11.60 1.07 .66 234- 4 8.22 12.70 1.31 .72 251- 15 7.84 11.60 1.06 .69 254- 10 7.92	Run-Port Puff-Count TPM Water Nicotine Tar 11- 12 8.50 12.36 1.23 .75 10.38 24- 6 7.86 11.80 1.15 .70 9.95 49- 17 7.94 12.34 1.19 .73 10.42 52- 19 8.44 12.48 1.35 .73 10.40 76- 16 8.36 12.56 1.13 .78 10.65 77- 7 8.06 11.98 1.21 .76 10.01 129- 11 8.66 12.24 1.22 .72 10.30 149- 11 8.34 12.96 1.27 .73 10.96 150- 6 8.68 12.54 1.36 .75 10.43 182- 13 7.86 12.52 1.23 .74 10.55 186- 8 7.58 10.78 1.03 .70 9.05 191- 10 7.82 11.60 1.07 .66 9.87 234- 4	Run-Port Puff-Count TPM Water Nicotine Tar CO 11- 12 8.50 12.36 1.23 .75 10.38 11.10 24- 6 7.86 11.80 1.15 .70 9.95 11.02 49- 17 7.94 12.34 1.19 .73 10.42 10.52 52- 19 8.44 12.48 1.35 .73 10.40 11.00 76- 16 8.36 12.56 1.13 .78 10.65 12.27 77- 7 8.06 11.98 1.21 .76 10.01 10.93 129- 11 8.66 12.24 1.22 .72 10.30 11.08 149- 11 8.34 12.96 1.27 .73 10.96 12.13 150- 6 8.68 12.54 1.36 .75 10.43 11.15 182- 13 7.86 12.52 1.23 .74 10.55 11.83 186- 8 7.58 10.78

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.13700	12.05000	1.17750	.72200	10.15050	11.22850
CONFI. INTER.	. 13796	.25990	. 04369	.01253	.21844	.26610
Stand. Dev.	.30850	.58116	.09770	.02802	.48844	.59501
%C.V.	3.79127	4.82291	8.29757	3.88124	4.81198	5.29908
alle alle alle alle alle alle alle alle	de alle alle alle alle alle alle alle al	all and the second and are set and a second as	مريان ملف ملت بالريالة على بالسريات بالريمة		ate all at all all at a facilities at a six af	ally ally ally ally ally ally ally ally

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	8.1 ±0.1	12.0 ±0.3	1.2 ±0.04	0.72 ±0.01	10.2 ±0.2	11.2 ±0.3
s	0.3	0.6	0.1	0.03	0.5	0.6
cv	3.8	4.8	8.3	3.9	4.8	5.3

Fage: 191

Per Cigarette

Market Sample Brand Data & Statistics

Players Lights 25's

Trayers argines	⇒						
king size							
filter menthol	soft pack						
Row Run-Port	-	TPM	Water	Nicotine	Tar	CO	
1) 10- 8	7.98	11.26	. 99	.70	9.57	10.90	
2) 25~ 10	7.72	10.76	. 91	. 65	9.20	9.95	
3) 41- 3	8,14	11.58	1.11	.71	9.76	9.40	
4) 68- 6	8.10	11.54	1.06	.74	9.74	11.08	
5) 73- 18	8.06	11.34	1.10	.68	9.56	10.22	
6) 108- 18	8.30	11.62	1.06	.74	9.82	11.45	
7) 113- 2	7.92	12.08	1.24	.71	10.13	11.15	
8) 142- 5	7.98	13.76	1.51	. 79	11.46	11.72	
9) 156- 20	8.42	12.34	1.41	. 75	10.18	11.19	
10) 179- 13	8.00	12.44	1.26	.72	10.46	11.90	
11) 182- 17	8.14	13.78	1.68	. 74	11.36	12.91	
12) 189- 7	7.60	11.38	1.13	.66	9.59	10.82	
13) 219- 6	8.08	12.90	1.37	.73	10.80	10.66	
14) 250- 16	8.20	12.28	1.18	. 75	10.35	11.22	
15) 255- 2	8.06	11.86	1.15	.69	10.01	11.17	
16) 272- 14	8.40	12.14	1.15	. 75	10.24	10.77	
17) 310- 17	7.94	12.06	1.20	.73	10.13	10.87	
18) 313- 14	8.14	11.98	1.11	.73	10.14	10.82	
19) 348- 7	7.88	11.68	1.03	. 69	9.96	11.06	
20) 359- 5	7.98	12.14	1.18	. 72	10.24	11.49	

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER.	8.05200 .08937	12.04600 .34075	1.19200 .08180	.71900 .01507	10.13500 .25418	11.03750 .32554
Stand, Dev.	.19983	.76194	.18292	.03370	.56836	.72794
%C.V.	2.48176	6.32525	15.34546	4.68727	5.60793	6.59513
***********	**********	*****	*******	*****	***********	**********

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	8.1 ±0.1	12.0 ±0.3	1 2 +0 1	0.72 ±0.02	10.1 ±0.3	11.0 ±0.3
^	0.1 20.1	12.0 20.2	7.E =V.1	V. ; L V. V	10.1 =0.2	
S	0.2	0.8	0.2	0.03	0.6	0.7
cv	2.5	6.3	15.3	4.7	5.6	6.6
						•

\$ 60

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filter soft pack

1 7 7 7 6	in soir back						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	12- 14	10.06	14.24	1.33	. 86	12.05	14.77
2)	33- 15	10.16	14.50	1.32	.89	12.29	12.95
3)	55- 16	10.06	14.28	1.22	. 85	12.21	15.15
4)	62- 17	10.08	13.08	1.13	.80	11.15	12.56
5)	90 19	10.44	14.80	1.52	.86	12.42	14.72
6)	103- 6	9.96	14.14	1.36	.86	11.92	13.65
7)	122- 11	9.72	14.16	1.40	. 83	11.93	14.09
8)	139- 19	10.02	13.08	1.23	.77	11.08	12.93
.9)	160- 3	10.40	13.54	1.18	87	11.49	13.37
10)	165- 10	10.48	12.92	1.13	.82	10.97	13.25
11)	194- 19	10.54	14.68	1.42	.90	12.36	14.99
12)	197- 18	10.04	14.42	1.35	.85	12.22	14.22
13)	232- 15	10.26	13.86	1.25	. 87	11.74	13.96
14)	241- 1	9.90	13.80	1.36	.80	11.64	14.20
15)	269- _, 16	10.36	14.06	1.28	. 83	11.95	13.80
16)	282- 6	10.06	13.16	1.24	.83	11.09	13.57
17)	293- 12	10.14	14.22	1.30	. 87	12.05	14.06
18)	306- 16	10.04	13.84	1.27	.86	11.71	13.97
19)	327- 12	10.24	13.56	1.24	. 84	11.48	13.10
50)	342- 3	10.28	13.86	1.23	. 86	11.77	13.65

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.16200	13.91000	1.28800	.84600	11.77600	13.84800
CONFI. INTER.	.09403	.24441	.04357	.01417	.20054	.31813
Stand. Dev.	.21025	.54651	.09742	.03169	.44842	.71136
%C.V.	2.06901	3.92890	7.56361	3.74578	3.80789	5.13694
alle also also also also also also also also				to attend of the street of the street		والمراكب والمراكب والمراكب والمراكب والمراكب

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	C O
×	10.2 ±0.1	13.9 ±0.2	1.3 ±0.04	0.85 ±0.01	11.8 ±0.2	13.8 ±0.3
S	0.2	0.5	0.1	0.03	0.4	0.7
С	v 2.1	3.9	7.6	3.7	3.8	5.1

61

Page: 193

Per Cigarette

Market Sample Brand Data & Statistics

Players 25's Lights 100's 100 mm

	• • • • • • • • • • • • • • • • • • • •						
filte	er menthol	soft pack					
Row	Run-Port	Puff-Count	MAL	Water	Nicotine	Tar	CO
1)	5- 2	10.60	13.74	1.26	.81	11.67	13.52
2)	14- 14	10.34	13.40	1.13	. 84	11.43	13.42
3)	68- 20	10.36	13.38	1.17	.81	11.40	13.99
4)	71- 12	10.10	12.88	1.03	.82	11.03	13.26
5)	79- 20	9.84	13.50	1.14	. 79	11.57	13.88
6)	98- 18	10.48	13.48	1.17	. 83	11.48	13.85
7)	116- 1	10.30	13.32	1.25	.82	11.25	13.47
8)	133- 7	10.10	12.72	1.09	.79	10.84	12.31
9)	155- 10	10.44	14.42	1.41	.86	12.15	13.17
10)	166- 7	10.12	13.00	1.07	.80	11.13	12.57
11)	193- 16	10.06	13.00	1.12	. 79	11.09	13.51
12)	196- 1	10.26	13.40	1.23	.81	11.36	13.38
13)	227- 11	10.46	13.42	1.14	.sa	11.46	13.00
14)	244- 8	10.24	12.94	1.12	. 88	10.94	13.70
15)	276- 19	10.30	13.28	1.19	. 81	11.28	13.98
16)	285- 14	10.36	13.96	1.25	. 87	11.84	13.31
17)	290- 1	10.32	13.38	1.27	.83	11.28	13.61
18)	301- 15	9.82	12.64	1.13	.80	10.71	13.15
19)	334- 11	10.44	14.80	1.38	. 87	12.55	13.90
20)	351- 20	10.36	13.46	1.25	.82	11.39	13.06
		· - · - · -			. 40 100		,

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	10.26500	13.40600	1.19000	.82350	11.39250	13.40200
CONFI. INTER.	.09135	.23648	.04365	.01234	.19332	.20077
Stand. Dev.	.20426	.52880	.09760	.02758	.43227	.44894
%C.V.	1.98984	3.94447	8.20192	3.34942	3.79438	3.34977

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	10.3 ±0.1	13.4 ±0.2	1.2 ±0.04	0.82 ±0.01	11.4 ±0,2	13.4 ±0.2
s	0.2	0.5	0.1	0.03	0.4	0.4
¢۷	2.0	3.9	8.2	3.3	3.8	3.3

62

Page: 215

Per Cigarette

Market Sample Brand Data & Statistics

Saratoga 120's 120 mm

filter hard pack

3 7 7 7 6	an dark bark						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	17- 4	12.80	17.96	1.71	1.08	15.17	14.79
2)	18- 7	12.68	16.10	1.42	1.00	13.68	13.81
3)	60-3	12.70	15.58	1.34	. 98	13.28	12.80
4)	63- 13	13.32	17.00	1.46	1.02	14.52	14.32
5)	88 14	13.20	17.32	1.59	1.05	14.68	14.82
6)	103- 16	13.00	17.26	1.58	1.06	14.62	14.41
7)	121- 18	13.32	17.32	1.66	1.05	14.61	14.11
8)	138- 13	12.80	16.16	1.46	1.00	13.70	13.83
9)	167- 14	13.38	17.64	1.59	1.06	14.99	14.54
103	168- 4	12.90	16.46	1.53	. 98	13.95	13,92
11)	181- 8	12.90	18.14	1.77	1.08	15.29	17.19
12)	214- 9	13.20	17.54	1.69	1.09	14.76	14.17
13)	236- 12	12.72	18.26	1.75	1.13	15.37	16.11
14)	241- 3	12.86	17.02	1.65	1.13	14.24	15.01
15)	257- 15	12.66	16.34	1.55	.98	13.81	15.31
16)	286- 15	13.34	17.76	1.77	1.09	14.90	14.77
17)	309- 15	13.12	17.30	1.69	1.04	14.57	14.66
18)	322- 13	12.98	16.38	1.56	. 98	13.84	14.00
19)	347- 6	13.32	16.62	1.51	1.02	14.09	14.18
20)	358- 15	12.92	15.58	1.43	. 98	13.17	14.03

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	13.00600	16.98700	1.58600	1.03900	14.36200	14.54400
CONFI. INTER.	.11115	.35911	.05617	.02298	. 29020	.41086
Stand, Dev.	.24854	.80300	.12559	.05139	.64891	.91871
%C.V.	1.91097	4.72715	7.91861	4.94621	4.51822	6.31675
					and the standard of the standards of	to also also also also also also also als

Rounded Statistics:

	Puff-Count	.TPM	Water	Nicotine	Tar	C 0
х	13.0 ±0.1	17.0 ±0.4	1.6 ±0.1	1.04 ±0.02	14.4 ±0.3	14.5 ±0.4
s	0.2	0.8	0.1	0.05	0.6	0.9
CV	1.9	4.7	7.9	4.9	4.5	6.3



Per Cigarette

Market Sample Brand Data & Statistics

Saratoga 120's 120 mm

filter menthol hard pack

lite	r menthol	naro pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	5- 8	12.94	18.16	1.68	1.08	15.40	15.19
2)	28 - 8	13.18	18.94	1.93	1.15	15.86	15.80
3)	43- 13	13.22	17.90	1.64	1.10	15.16	14.23
4)	56- 3	12.76	17.08	1.56	1.01	14.51	13.36
5)	93- 2	13.34	18.20	1.80	1.06	15.34	14.68
8)	108- 6	12.40	17.40	1.58	1.07	14.75	15.53
7)	113- 14	12.56	17.86	1.79	1.06	15.01	15.24
8)	122- 20	12.68	18.60	1.97	1.07	15.56	16.16
9)	150- 3	13.56	17.46	1.76	1.05	14.65	13.76
10)	169- 6	12.56	16.42	1.53	. 97	13.92	14,13
113	182- 2	13.16	16.20	1.46	1.00	13.74	15.35
12)	201- 3	12.80	18.56	1.98	1.09	15.49	13.84
13)	230- 13	13.50	17.08	1.53	1.08	14.47	13.98
14)	23 9- 20	13.14	17.96	1.83	1.07	15.06	14.85
15)	263- 16	13.40	16.60	1.53	. 95	14.12	15.72
16)	270- 6	13.64	17.14	1.61	1.03	14.50	14.83
17)	318- 6	12.76	17.26	1.55	1.04	14.67	15.11
18)	319- 13	12.82	17.52	1.55	1.06	14.91	14.72
19)	345- 19	13.12	18.12	1.82	1.07	15.23	15.60
20)	358- 1	13.40	18.00	1.75	1.09	15.16	15.33

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	13.04700	17.62300	1.69250	1.05500	14.87550	14.87100
CONFI. INTER.	.16370	.33062	.07211	.02049	.25064	.34552
Stand. Dev.	.36605	.73928	.16124	.04583	.56046	.77261
%C.V.	2.80560	4.19498	9.52680	4.34367	3.76764	5.19541
*********************	k 家家家家家家家家家家	*****		*******		Service de de de de de de

	Puff-Count	TPM	Water	Nicotine	Tar	CO	
х	13.0 ±0.2	17.6 ±0.3	1.7 ±0.1	1.06 ±0.02	14.9 ±0.3	14.9 ±0.3	
s	0.4	07	0.2	0.05	0.6	0.8	
CV	/ 2.6	4.2	9.5	4.3	3.8	5.2	



Per Cigarette

Market Sample Brand Data & Statistics

	i soir baru	•					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	29- 14	9,66	18.30	2.12	1.01	15.17	13.36
2)	36- 10	10.10	17.90	1.90	1.05	14.95	13.97
3)	49-8	9.64	18.98	2.22	1.02	15.74	13.42
4)	64- 19	10.12	19.62	2.25	1.10	16.27	14.01
5)	82- 14	10.30	18.56	2.08	1.11	15.37	14.02
٤)	89- 17	9.68	18.52	2.11	1.05	15.36	13.66
7)	131- 8	9.54	17.72	1.85	1.03	14.84	13.87
8)	136- 4	9.84	18.82	2.10	1.09	15.63	13.60
9)	150- 14	10.10	18.58	2.39	1.02	15.17	13.93
10)	159- 4	9.84	17.80	2.05	1.01	14.74	13.06
11)	185- 9	9.90	19.36	2.39	1.06	15.91	14.66
12)	200-16	9.84	19.14	2,22	1.12	15.80	14.65
13)	220- 10	10.12	19.58	2.61	1.09	15.88	14.88
14)	231- 2	9.76	17.96	2.13	1.04	14.79	14.42
15)	254- 15	9.68	19.18	2.37	1.09	15.72	14.75
16)	259~ 10	9.54	18.34	2.17	1.05	15.12	14.65
17)	292- 14	9.44	18.48	2.06	1.06	15.36	13.57
18)	307- 16	10.34	19.02	2.15	1.07	15.80	14.80
19)	355- 18	9.72	17.52	1.83	1.06	14.63	14.09
20)	358- 4	9.90	18.36	2.09	1.09	15.18	13.99

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.85300	18.58701	2.15450	1.06100	15.37150	14.06800
CONFI. INTER.	.11433	.27703	.08472	.01493	.20457	.23980
Stand. Dev.	. 25565	.61945	.18944	.03339	.45742	.53621
XC.V.	2.59468	3.33270	8.79297	3.14681	2.97578	3.81156
who also also also also also also also als		<i></i>		to also also also also also also also als	****	· · · · · · · · · · · · · · · · · · ·

Rounded Statistics:

Puff-Count	TPM	Water	Nicotine	Tar	CO .
X 9.9 ±0.1 18	3.6 ±0.3 2	1.2 ±0.1 1	.06 ±0.01 15	5.4 ±0.2 1-	4.1 ±0.2
s 0.3 0	0.6 0	.a 0	.03	0.5	0.5
CV 2.6 3	3.3 8	3.8	. 1	3.0	3.8



Per Cigarette

Market Sample Brand Data & Statistics

æ	. 1 .		manthal	
1	00	173 171		

filte	r menthol	soft pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	20- 1	9.54	18.72	2.14	1.11	15.47	13.35
2)	29- 8	9.82	17.68	2.09	1.00	14.59	12.43
3)	37- 9	9.88	17.86	2.64	. 99	14.23	11.85
4)	50+ 9	9.84	19.42	2.19	1.11	16.12	13.19
5)	86- 5	9.92	17.58	1.85	1.04	14.69	12.18
6)	95- 19	9.92	19.00	2.35	1.06	15.59	13.90
7)	115- 4	9.52	18.44	2.16	1.07	15.21	13.08
8)	140- 14	10.18	20.26	3.09	1.08	16.09	14.76
9)	145- 15	9.30	17.12	1.86	. 97	14.29	13.56
10)	170- 1	9.64	18.74	2.10	1.05	15.59	13.55
11)	203- 6	10.14	19.50	2.53	1.13	15.84	13.90
12)	210- 15	9.72	18.40	2.16	1.06	15.18	13.23
13)	242- 19	9.62	18.12	2.00	1.07	15.05	13.88
14)	243- 12	9.64	18.44	2.21	1.04	15.19	13.61
(5)	258- 20	9.96	21.10	2.79	1.18	17.13	15.35
16)	279- 14	10.06	18.44	1.99	1.08	15.37	13.58
17)	290- 11	10.16	19.66	2.65	1.11	15.90	13.54
18)	293- 11	9.76	18.60	1.99	1.06	15.55	13,68
19)	334- 16	9.82	19.26	2.30	1.13	15.83	13.12
20)	359- 15	9.74	17.92	1.95	1.04	14.93	13.68

Statistics Array:

Puff-Count=Puffs/Cig TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	9.80900	18.71299	2.25200	1.06900	15.39200	13.47100		
CONFI. INTER.	.10311	. 42822	.14802	.02271	.30691	.35050		
Stand. Dev.	.23056	. 95752	.33099	.05077	.68627	.78374		
%C.V.	2.35047	5.11690	14.69756	4.74958	4.45860	5.81799		

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	9.8 ±0.1	18.7 ±0.4	2.3 ±0.1	1.07 ±0.02	15.4 ±0.3	13.5 ±0.4
s	0.2	1.0	0.3	0.05	0.7	0.8
cv	2.4	5.1	14.7	4.7	4.5	5.8

64

Per Cigarette

10.48

Market Sample Brand Data & Statistics

100 mm

3416							
r hard pack				•			
Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO	
2 1Q	9 79	11 14	98	72	9 47	10 23	
— · •	_						
68- 10	9.02	9.84	.80	.67	8.37	9.02	
93- 8	9.48	10.36	. 87	. 69	8.80	8.99	
98- 7	9.20	10.28	.87	.66	8.75	9.58	
110- 10	9.34	10.92	. 96	.72	9.24	10.07	
141- 4	9.56	9.88	.84	.62	8.42	9.19	
162- 7	10.62	9.86	.81	. 61	8.44	8.65	
169- 17	9.82	10.42	.88	.67	8.87	10.39	
195- 11	9.74	10.36	. 90	.68	8.78	9.06	
208- 13	9.18	10.30	.90	.70	8.70	9.45	
222- 11	10.02	10.98	1.04	. 73	9.21	8.48	
245- 6	9.44	10.66	. 92	. 68	9.06	9.77	
262- 1	9.64	11.14	1.01	. 69	9.44	10.65	
279- 3	9.56	9.42	.83	. 65	7.94	8.39	
300- 7	9.26	11.00	1.03	.71	9.26	9.63	
305- 18	9.44	11.40	1.02	. 75	9.63	10.30	
352- 2	9.86	10.10	1.39	. 67	8.04	9.49	
	er hard pack Run-Port 2- 18 7- 3 61- 19 68- 10 93- 8 98- 7 110- 10 141- 4 162- 7 169- 17 195- 11 208- 13 282- 11 245- 6 262- 1 279- 3 300- 7 305- 18	Pr hard pack Run-Port Puff-Count 2- 18 9.72 7- 3 10.00 61- 19 9.04 68- 10 9.02 93- 8 9.48 98- 7 9.20 110- 10 9.34 141- 4 9.56 162- 7 10.62 169- 17 9.82 195- 11 9.74 208- 13 9.18 822- 11 10.02 245- 6 9.44 262- 1 9.64 279- 3 9.26 300- 7 9.26 305- 18 9.44	Pr hard pack Run-Port Puff-Count TPM 2- 18 9.72 11.14 7- 3 10.00 10.74 61- 19 9.04 10.04 68- 10 9.02 9.84 93- 8 9.48 10.36 98- 7 9.20 10.28 110- 10 9.34 10.92 141- 4 9.56 9.88 162- 7 10.62 9.86 169- 17 9.82 10.42 195- 11 9.74 10.36 208- 13 9.18 10.30 22- 11 10.02 10.98 245- 6 9.44 10.66 262- 1 9.64 11.14 279- 3 9.56 9.42 300- 7 9.26 11.00 305- 18 9.44 11.40	Pr hard pack Run-Port Puff-Count TPM Water 2- 18 9.72 11.14 .99 7- 3 10.00 10.74 .98 61- 19 9.04 10.04 .83 68- 10 9.02 9.84 .80 93- 8 9.48 10.36 .87 98- 7 9.20 10.28 .87 110- 10 9.34 10.92 .96 141- 4 9.56 9.88 .84 162- 7 10.62 9.86 .81 169- 17 9.82 10.42 .88 195- 11 9.74 10.36 .90 208- 13 9.18 10.30 .90 222- 11 10.02 10.98 1.04 245- 6 9.44 10.66 .92 262- 1 9.64 11.14 1.01 279- 3 9.56 9.42 .83 300- 7 9.26 11.00 1.03 305- 18 9.44 11.40 1.02	Principle Puff-Count TPM Water Nicotine 2-18 9.72 11.14 .99 .72 7-3 10.00 10.74 .98 .69 61-19 9.04 10.04 .83 .65 68-10 9.02 9.84 .80 .67 93-8 9.48 10.36 .87 .69 98-7 9.20 10.28 .87 .66 110-10 9.34 10.92 .96 .72 141-4 9.56 9.88 .84 .62 162-7 10.62 9.86 .81 .61 169-17 9.82 10.42 .88 .67 195-11 9.74 10.36 .90 .68 208-13 9.18 10.30 .90 .70 222-11 10.02 10.98 1.04 .73 245-6 9.44 10.66 .92 .68 262-1 9.56 9.42 .83 </td <td>Run-Port Puff-Count TPM Water Nicotine Tar 2-18 9.72 11.14 99 .72 9.43 7-3 10.00 10.74 98 .69 9.07 61-19 9.04 10.04 .83 .65 8.56 68-10 9.02 9.84 .80 .67 8.37 93-8 9.48 10.36 .87 .69 8.80 98-7 9.20 10.28 .87 .66 8.75 110-10 9.34 10.92 .96 .72 9.24 141-4 9.56 9.88 .84 .62 8.42 162-7 10.62 9.86 .81 .61 8.44 169-17 9.82 10.42 .88 .67 8.87 195-11 9.74 10.36 .90 .68 8.78 208-13 9.18 10.30 .90 .70 8.70 222-11 10.02 10.98 1.04 .73 9.21 245-6 9.44 10.66 .92 .68 9.06 262-1 9.64 11.14 1.01 .69 9.44 279-3 9.56 9.42 .83 .65 7.94 300-7 9.26 11.00 1.03 .71 9.26 305-18 9.44 11.40 1.02 .75 9.63</td> <td>Run-Port Puff-Count TPM Water Nicotine Tar CO 2-18 9.72 11.14 .99 .72 9.43 10.23 7- 3 10.00 10.74 .98 .69 9.07 9.64 61-19 9.04 10.04 .83 .65 8.56 9.62 68-10 9.02 9.84 .80 .67 8.37 9.02 93- 8 9.48 10.36 .87 .69 8.80 8.99 98- 7 9.20 10.28 .87 .66 8.75 9.58 110-10 9.34 10.92 .96 .72 9.24 10.07 141- 4 9.56 9.88 .84 .62 8.42 9.19 162- 7 10.62 9.86 .81 .61 8.44 8.65 169- 17 9.82 10.42 .88 .67 8.87 10.39 195- 11 9.74 10.36 .90 .68 8.78 9.06 208- 13 9.18 10.30 .90 .70 8.70 9.45 222- 11 10.02 10.98 1.04 .73 9.21 8.48 245- 6 9.44 10.66 .92 .68 9.06 9.77 262- 1 9.64 11.14 1.01 .69 9.44 10.65 279- 3 9.56 9.42 .83 .65 7.94 8.39 300- 7 9.26 11.00 1.03 .71 9.26 9.63 305- 18 9.44 11.40 1.02 .75 9.63 10.30</td>	Run-Port Puff-Count TPM Water Nicotine Tar 2-18 9.72 11.14 99 .72 9.43 7-3 10.00 10.74 98 .69 9.07 61-19 9.04 10.04 .83 .65 8.56 68-10 9.02 9.84 .80 .67 8.37 93-8 9.48 10.36 .87 .69 8.80 98-7 9.20 10.28 .87 .66 8.75 110-10 9.34 10.92 .96 .72 9.24 141-4 9.56 9.88 .84 .62 8.42 162-7 10.62 9.86 .81 .61 8.44 169-17 9.82 10.42 .88 .67 8.87 195-11 9.74 10.36 .90 .68 8.78 208-13 9.18 10.30 .90 .70 8.70 222-11 10.02 10.98 1.04 .73 9.21 245-6 9.44 10.66 .92 .68 9.06 262-1 9.64 11.14 1.01 .69 9.44 279-3 9.56 9.42 .83 .65 7.94 300-7 9.26 11.00 1.03 .71 9.26 305-18 9.44 11.40 1.02 .75 9.63	Run-Port Puff-Count TPM Water Nicotine Tar CO 2-18 9.72 11.14 .99 .72 9.43 10.23 7- 3 10.00 10.74 .98 .69 9.07 9.64 61-19 9.04 10.04 .83 .65 8.56 9.62 68-10 9.02 9.84 .80 .67 8.37 9.02 93- 8 9.48 10.36 .87 .69 8.80 8.99 98- 7 9.20 10.28 .87 .66 8.75 9.58 110-10 9.34 10.92 .96 .72 9.24 10.07 141- 4 9.56 9.88 .84 .62 8.42 9.19 162- 7 10.62 9.86 .81 .61 8.44 8.65 169- 17 9.82 10.42 .88 .67 8.87 10.39 195- 11 9.74 10.36 .90 .68 8.78 9.06 208- 13 9.18 10.30 .90 .70 8.70 9.45 222- 11 10.02 10.98 1.04 .73 9.21 8.48 245- 6 9.44 10.66 .92 .68 9.06 9.77 262- 1 9.64 11.14 1.01 .69 9.44 10.65 279- 3 9.56 9.42 .83 .65 7.94 8.39 300- 7 9.26 11.00 1.03 .71 9.26 9.63 305- 18 9.44 11.40 1.02 .75 9.63 10.30

Statistics Array:

353- 11

20)

9.14

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

.68

8.92

10.26

Mean CONFI. INTER.	9.55400 .17580	10.46600	.93750 05872	.68200 .01560	8.84650 .20601	9.54300 .29130
Stand, Dev.	.39310	.52556	.13130	.03488	.46065	.65136
%C.V.	4.11454	5.02160	14.00579	5.11485	5.20720	6.82548
*****************	宋宋宋宋宋宋宋宋宋宋宋宋	**********	宋宋宋宋宋宋宋宋宋 宋宋	台名洛洛水水水水水水	宋本本本本本本本本本	·洛水水水水水水水水

. 88

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	9.6 ±0.2	10.5 ±0.2	0.9 ±0.1	0.68 ±0.02	8.8 ±0.2	9.5 ±0.3
s	0.4	0.5	0.1	0.03	0.5	0.7
cv	4.1	5.0	14.0	5.1	5.2	6.8

DA 1-7

Page: 251

Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filte	r menthol	hard pack					
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
					- ~·		
1)	3- 8	9.98	9.98	. 86	. 67	8.45	9.15
2)	32- 8	9.64	9.88	. 82	.68	8.38	8.85
3)	59- 13	9.30	10.04	.81	. 67	8.56	9.63
4)	66- 8	10.10	10.58	. 96	. 73	8.89	9.39
5)	83- 4	9.48	10.18	. 85	. 65	8.68	9.20
6)	94- 5	9.32	9.72	. 81	. 63	8.28	8.37
7)	122- 10	9.40	11.12	1.01	.74	9.37	9.60
8)	127- 7	9.72	10.64	. 91	.72	9.01	9.09
9)	164- 18	9.84	10.30	. 89	. 66	8.75	9.53
10)	175- 3	9.04	9.46	. 85	.60	8.01	8.68
11)	195- 2	9.46	10.74	. 99	.67	១.08	9.69
12)	202- 8	10.06	10.52	1.01	. 68	8.83	10.06
13)	232- 18	9.08	9.04	. 77	.82	7.65	8.42
14)	241- 10	9.70	10.42	. 90	.78	8.74	9.00
15)	272- 6	9.82	9.22	. 82	. 69	7.71	8.76
16)	273- 19	9.46	10.02	. 87	.70	8.45	9.06
17)	309- 5	9.84	10.08	. 93	. 67	8.48	8.57
18)	314- 12	9.62	10.32	. 95	. 68	8.69	9.67
19)	333- 5	9.70	9.94	.92	.65	8.37	8.91
20)	346- 16	9.30	10.32	.90	.66	8.76	9.61
E V /	370-16	yv	, , , , , , , , ,		.00		

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI. INTER. Stand. Dev.	9.59300 .13538 .30271	10.12600 .22783 .50945	.89150 .03109 .06953	.67750 .01880 .04204	8.55700 .19142 .42803	9.16200 .21198 .47399
%c.V.	3.15552	5.03113	7.79926	6.20472	5.00213	5.17346
ata		te also elso elso elso elso elso elso elso e	. an de de de de de de de d	e educate das das das de educates de educ	b 数 数 数 数 数 数 数 数 数 数	中海安全的大学的大学的

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
х	9.6 ±0.1	10.1 ±0.2	0.9 ±0.03	50.0± 88.0	8.6 ±0.2	9.2 ±0.2
\$	0.3	0.5	0.1	0.04	0.4	0.5
CV	3.2	5.0	7.8	6.2	5.0	5.2



Per Cigarette

Market Sample Brand Data & Statistics

120 mm

filter hard pack

Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	CO
1)	5- 5	13.08	17.10	1.57	1.01	14.52	14.10
2)	28- 10	12.40	15.94	1.45	.98	13.51	13.66
3)	42- 10	12.44	16.10	1.49	. 98	13.63	13.24
4)	53- 2	12.64	17.94	1.72	1.04	15.18	16.60
5)	89- 9	12.44	15.84	1.45	1.00	13.39	13.39
6)	106- 8	12.40	15.36	1.33	. 92	13.11	14.56
7)	111- 4	12.68	16.82	1.51	1.00	14.31	13.64
8)	132- 2	13.16	18.02	1.76	1.07	15.19	14.83
• 9)	168- 18	13.04	16.94	1.60	. 98	14.36	14.95
10)	179- 15	12.36	15.18	1.38	.89	12.91	15.12
11)	199- 14	12.94	18.54	1,89	1.07	15.58	17.32
12)	214- 7	13.12	17.08	1.65	1.09	14.34	14.00
13)	222- 6	13.26	17.26	1.61	1.07	14.58	14.69
14)	249- 11	12.84	16.98	1.54	1.04	14.40	14.91
15)	287- 10	13.06	16.82	1.68	1.03	14.11	14.28
16)	290- 20	13.62	18.86	2.18	1.12	15.56	15.62
17)	304- 12	12.42	17.96	1.84	1.08	15.04	16.36
18)	315- 18	13.04	16.48	1.58	1.01	13.89	13.77
19)	354- 16	12.36	16.28	1.52	. 99	13.77	14.64
20)	359- 7	12.40	16.54	1.49	. 98	14.07	15.22

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean CONFI, INTER.	12.78500 .16873	16.90200 .44626	1.61200 .08791	1.01750 .02554	14.27250 .34419	14.74500 .48746		
Stand, Dev.	.37730	.99787	.19657	. 05711	.76963	1.09000		
%C.V.	2.95109	5.90385	12.19387	5.61302	5.39242	7.39230		

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
x	12.8 ±0.2	16.9 ±0.4	1.6 ±0.1	1.02 ±0.03	14.3 ±0.3	14.7 ±0.5
s	0.4	1.0	0.2	0.06	0.8	1.1
ÇV	3.0	5.9	12.2	5.6	5.4	7.4



Per Cigarette

Market Sample Brand Data & Statistics

100 mm

filte	r hard pack						
Row	Run-Port	Puff-Count	TPM	Water	Nicotine	Tar	co
1)	21- 19	8.44	6.82	. 55	. 47	5.80	6.86
2)	28- 19	9.06	6.82	. 55	. 47	5.80	6.15
3)	49- 13	8.60	6.74	. 48	. 47	5.79	6.49
4)	78- 16	8.76	6.94	. 53	.51	5.90	6.98
5)	90- 7	8.70	6.92	.54	.51	5.87	6.90
6)	91- 5	8.80	6.82	. 53	. 50	5.79	6.26
7)	109- 12	8.58	6.72	.54	, 47	5.71	6.60
8)	112- 17	8.46	6.84	.54	.48	5.82	7.11
-9)	147- 17	9.38	6.58	.50	. 48	5.60	5.60
10)	174- 11	8.54	7.16	. 56	. 49	6.11	6.70
11)	203- 9	8.72	7.28	.59	. 49	6.20	7.46
12)	208- 19	8.64	7.84	. 68	.53	6.63	7.87
13)	227- 3	8.88	6.78	. 55	.52	5.71	6.47
14)	238- 11	8.60	7.30	.56	.53	6.21	7.29
15)	282- 13	8.50	6.96	. 61	.52	5.83	7.11
16)	285- 1	8.66	6.96	.63	.50	5.83	6.71
17)	303- 17	8.60	6.84	.56	. 48	5.80	7.18
18)	318- 18	8.66	6.86	. 55	.48	5.83	7.03
19)	334- 1	9.58	6.80	. 80	. 48	5.72	6.44
20)	351- 2	8.84	6.46	.56	. 44	5.46	6.43

Statistics Array:

Puff-Count=Puffs/Cig
TPM, Water, Nicotine, TAR & CO=Mg per Cig

Mean	8.75000	6.92200	.56050	.49100	5.87050	6.83200
CONFI, INTER,	.13076	.13225	.01992	.01055	.11286	.19247
Stand. Dev.	. 29239	. 29572	.04454	.02360	. 25237	. 43038
%C.V.	3.34165	4.27213	7.94675	4.80601	4.29890	6.29948
the standards to the death the standards the standards the	is all the tip all the all the all the tip all	in the six of the six six of the six	e eter de alle alle de alle alle alle alle	e ale vie de de de de de de de de	and the standards are the standards at	en alle alle alle alle alle alle alle al

Rounded Statistics:

	Puff-Count	TPM	Water	Nicotine	Tar	CO
×	8.8 ±0.1	6.9 ±0.1	0.6 ±0.02	0.49 ±0.01	5.9 ±0.1	6.8 ±0.2
s	0.3	0.3	0.04	0.02	0.3	0.4
cv	3.3	4.3	7.9	4.8	4.3	6.3